Author Index to Volume 25

Abhiraman, A. S.
Formation of High-Performance Fiber Morphologies, 1931
Abou-Zeid, N. Y. See Hebeish, A., 223
Acierno, D. See La Mantia, F. P., 555
—; La Mantia, F. P.; Polizzotti, G.; Russo, S.; Titomanlio, G.: Influence of Processing Conditions on some Properties of Anionically Synthesized Polycaprolactam in Presence of Lithium Chloride, 2001
Adams, L. M.
—; Silvus, H. S., Jr.: Rapid Method for Preparing Polymeric Piezoelectric Films (Note), 2445
Adams, S. See Zeronian, S. H., 519
Agarwal, S. H.
—; Porter, R. S.: Shear Degradation of Poly(vinyl Acetate) in Toluene Solutions by High-Speed Stirring, 173
Aharoni, S. M.
Rigid Backbone Polymers. XVI. Random Copolyamides, 2891
Ahmed, I. K.
—; Walker, N.; Parsons, I. W.; Haward, R. N.: The Properties of Some Poly(arylene Ether Sulfones), 821
Albertsson, A.-C.
—; Banhidi, Z. G.: Microbial and Oxidative Effects in Degradation of Polyethene, 1655
Alger, K. See Needles, H. L., 1737, 1745; Zeronian, S. H., 519, 1311
Allan, G. G.
—; Krieger, B. B.; Work, D. W.: Dielectric Loss Microwave Degradation of Polymers: Cellulose, 1839
Ambler, M. R.
Molecular Weight Characterization of Polybutadiene Rubber with High Molecular Weight and Broad Molecular Weight Distribution, 901
Ambrose, R. J.
—; Newell, J. J.: Cationic Polymerization of α-Methyl Styrene from Polydienes. II. Tensile Properties of Poly(butadiene-*g*-α-Methyl Styrene) and Poly(styrene-*b*-Butadiene-*g*-α-Methyl Styrene) Copolymers, 1335
Anabuki, H. See Miyata, S., 415
Andreolety, J. P. See Eroglu, H., 841
Angelo, R. J. See Ikeda, R. M., 1391
Aptel, P.
—; Cabasso, I.: Novel Polymer Alloy Membranes Composed of Poly(4-Vinyl Pyridine) and Cellulose Acetate. I. Asymmetric Membranes, 1969
Arai, K.
—; Ogiwara, Y.; Kuwabara, C.: Preparation of Copoly(Vinyl alcohol–Styrenesulfonic Acid) Resin and Its Catalytic Activity on Hydrolysis of Carbohydrates. II. Two-Step Polymerization using Tetraethylthiuram Disulfide as an Initiator, 2935
Arai, Y. See Tai, K., 77, 1789
Araki, K. See Hagiwara, M., 1541; Morita, Y., 2711
Arthur, J. C., Jr. See Reinhardt, R. M., 933
Artymyshyn, B. See Jordan, E. F., Jr., 2621
Aula, S. M. See Ugbolue, S. C. O., 1071
Avny, Y. See Moshonov, A., 89, 771
Axelson, D. E.
—; Knapp, W. C.: Size Exclusion Chromatography and Low-Angle Laser Light Scattering. Application to the Study of Long Chain-Branched Polyethylene (Note), 119
Azuma, C.
—; Sanui, K.; Ogata, N.: Synthesis and Properties of Photosensitive Rubbers. I. Direct Addition Reaction of α,β-Unsaturated Carboxylic Acids to Polydienes and Polypentenamer, 1273

Babich, B. V. See Lipatov, Y. S., 1029
Bacskai, R.
Chlorinated Poly(vinylidene Fluoride), 1523
Bajaj, P.
—; Gupta, D. C.; Gupta, A. K.: Structure and Properties of Acrylonitrile-[(2-Methacryloyloxy)alkoxy]trimethyl Silane Copolymers, 1673
Balas, A. See Rutkowska, M., 2531
Bamford, C. H.
—; Ledwith, A.; Gupta, P. K. S.: Particulate Precipitation Polymerization: A Convenient Procedure for the Synthesis of Crosslinked Polymers Useful as Polymeric Supports, 2559
Banerjee, B.
—; Chakravarty, S. N.; Biswas, A. B.: Influence of Hydrofuramide on Network Structure and Kinetics of Thiuram Vulcanization, 1263
Banhidi, Z. G. See Albertsson, A.-C., 1655
Banks, E. See Ueba, Y., 2007
—; Ueba, Y.; Okamoto, Y.: Synthesis and Characterization of Rare Earth Metal-Containing Polymers. I. Fluorescent Properties of Ionomers Containing Dy^{3+}, Er^{3+}, Eu^{3+}, and Sm^{3+}, 359
Bao, Y. T.
—; Bose, A.; Ladisch, M. R.; Tsao, G. T.: New Approach to Aqueous Gel Permeation Chromatography of Nonderivatized Cellulose, 263
Baraam, Z. See Siegmann, A., 1137
Barker, R. H. See Langley, J. T., 243
Barlow, J. W. See Cruz, C. A., 1549
Barrera, A. See Belmares, H., 2115
Barrie, J. A. See Spencer, H. G., 1157, 2807
Basista, E. See Zurek, W., 2681
Basu, S. See Bhattacharya, S. K., 111
Batty, N. S.
—; Guthrie, J. T.: Aspects of the Kinetics of the Radiation-Induced Polymerization of Acrylonitrile in Dimethylformamide, 2539
Behar, D. See Mey-Marom, A., 691
Belfer, S.
—; Glozman, R.; Deshe, A.; Warshawsky, A.: Structural Transformations During Chloromethylation of Flexible Polystyrene Networks, 2241
Belmares, H.
—; Barrera, A.; Ortega, M.; Monjaras, M.: Adhesives from Creosote Bush (*Larrea tridentata*) Phenolic Resin with Formaldehyde. Characteristics and Application (Note), 2115
Benecki, W.
—; Turska, E.: Separation of the Diffusion and Crystallization Fronts on Swelling a Bisphenol-A Polycarbonate, 2653
Berns, R. S. See Needles, H. L., 1737
Bertolini, G. See Greco, A., 2045
Betrabet, S. M. See Bhat, N. V., 635
Bhat, N. V.
—; Nadiger, G. S.: Crystallinity in Silk Fibers: Partial Acid Hydrolysis and Related Studies, 921

—; Nadiger, G. S.; Paralikar, K. M.; Betrabet, S. M.: Electron Diffraction Studies on Indian Silk, 635
Bhatt, I. G. See Iyer, P. B., 2235
Bhattacharya, S. K.
—; Basu, S.; De, S. K.: Effect of Temperature on the Electrical Conductivity of Poly(vinyl Chloride)–Copper Composites, 111
Biswas, A. B. See Banerjee, B., 1263
Biswas, M.
—; Packirisamy, S.: Phthalic Anhydride-Based Cation Exchange Resin from *N*-Vinylcarbazole, 511
Biyani, R. K.
—; Subramanian, R. V.; Mahalingam, R.: Polymerization with Redox Initiators (Note), 1257
Blazkova, A. See Hrivikova, J., 761
Blomberg, R. N. See Ikeda, R. M., 1391
Boettcher, F. P. See Ikeda, R. M., 1391
Bogue, D. C. See Carey, D. A., 575
Bolon, D. A.
—; Lucas, G. M.; Olson, D. R.; Webb, K. K.: Effect of Humidity and Elevated Temperatures on Physical Properties of UV-Cured Polymers, 543
Bose, A. See Bao, Y. T., 263
Bose, P. J. See Venkatesh, G. M., 1601
Bosisio, R. G.
—; Chan Tang, T. W.; Lamontagne, P. B.: Microwave Plasma Process for Gelatin Coating on Polyester and Cellulose Triacetate Film Bases (Note), 711
Boussias, C. M.
—; Peters, R. H.; Still, R. H.: Copolyester Studies. V. Preparation and Characterization of Tetramethylene Terephthalate–Poly(tetramethylene Oxide) Random Block Copolymers, 855
—; Peters, R. H.; Still, R. H.: Copolyester Studies. VI. Melt Spinning and Mechanical Properties of Tetramethylene Terephthalate–Poly(tetramethylene Oxide) Random Block Copolymers, 869
Boylston, E. K.
—; Hebert, J. J.: Fibrillar Size in Native Cellulose, 2105
Braks, J. G.
—; Mayer, G.; Huang, R. Y. M.: Polymerization Mechanisms and Molecular Weight Distributions. III. Gamma-Radiation-Initiated Polymerization of Methyl Methacrylate, 449
Brandsteterova, E. See Lehotay, J., 1943
Brittain, J. O. See Su, W-F. A., 1355
Brodman, B. W.
—; Devine, M. P.: Hydrogen Bonding in Nitrocellulose (Note), 1245
Burghoff, H.-G.
—; Lee, K. L.; Pusch, W.: Characterization of Transport Across Cellulose Acetate Membranes in the Presence of Strong Solute–Membrane Interactions, 323
Burr, R. C. See Fanta, G. F., 2285
Busetto, C.
—; Mattucci, A. M.; Cernia, E.: Effect of Nitrogen-Donor Ligands on the Stability of the Photolysis Products of $Mn_2(CO)_{10}$, 395
Busico, V.
—; Corradini, P.; Migliaresi, C.; Nicolais, L.: Physical Characterization of Layered Perovskites–Polystyrene Composites, 2857
Butler, M. A. See Mukherji, A. K., 1145
Butler, R. H. See Kwon, Y. D., 1165
Byrne, C. A. See Huang, S. J., 1951

Cabasso, I. See Aptel, P., 1969
Cap, J. See Militky, J., 1195
Carey, D. A.
—; Wust, C. J., Jr.; Bogue, D. C.: Studies in Nonisothermal Rheology: Behavior Near the Glass Transition Temperature and in the Oriented Glassy State, 575
Carlsson, D. J. See Garton, A., 1505
Carr, S. H. See Su, W-F. A., 1355
Castro, J. M. See Steinle, E. C., 2317
Cernia, E. See Busetto, C., 395
Cesca, S. See Greco, A., 2045
Chakravarty, S. N. See Banerjee, B., 1263
Chan, A. H.
—; Paul, D. R.: Effect of Sub-T_g Annealing on Gas Transport in Polycarbonate (Note), 971
Chang, R. J.
—; Gent, A. N.; Hsu, C. C.; Sehgal, K. C.: Bonding Elastomer Layers Together by a Surface Oxidation Reaction, 163
Chan Tang, T. W. See Bosisio, R. G., 711
Charmas, W.
—; Podkoscielny, W.: Thioetherglycidyl Resins. I. Products of Condensation of 1-Mercaptomethylnaphthalene and 1,4-, 1,5-Di-(Mercaptomethyl)naphthalene and Their Mixtures with Epichlorohydrin, 2393
Chen, R.
—; Kokta, B. V.; Valade, J. L.: Study on the Graft Copolymerization of Lignosulfonate and Acrylic Monomers, 2211
Chen, S-A.
—; Ju, H-L.: Permeation of Oxygen Through Polyurethane–Polyepoxide Interpenetrating Polymer Networks, 1105
Cheradame, H. See Eroglu, H., 841
Cheryan, M. See Merin, U., 2139
Chidambareswaran, P. K.
—; Sreenivasan, S.; Patil, N. B.; Sundaram, V.: Quantitative Analysis of Polymer Blends using Breadths of Overlapping X-Ray Diffraction Lines, 1825
Chiu, W-Y. See Lin, C-C., 565
Choi, K. J.
—; White, J. L.; Spruiell, J. E.: Orientation Development in Tubular Film Extrusion of Polystyrene, 2777
Chonde, Y.
—; Liu, L-J.; Krieger, I. M.: Preparation and Surface Modification of Poly(vinylbenzyl Chloride) Latices, 2407
Chung, T-S.
Analysis for the Calendering of Bingham Plastic Fluids (Note), 967
Cohen, C. See Ware, R. A., 717
Cooper, A. R. See Price, A. F., 2597
Corradini, P. See Busico, V., 2857
Cotten, G. R.
Influence of Carbon Black on Processability of Rubber Stocks. V. Extrusion, 127
Cottington, R. L. See Ting, R. Y., 1815
Cox, R. H. See Schulken, R. M., 1341
Cozewith, C. See Ver Strate, G., 59
Crabb, N. T. See Zlatkevich, L. Y., 963
Critchfield, F. E. See Steinle, E. C., 2317
Croucher, M. D. See Schreiber, H. P., 1961
Cruz, C. A.
—; Barlow, J. W.; Paul, D. R.: Polyester–Polycarbonate Blends. VII. Ring-Containing Polyesters, 1549
Czarnecki, L.
—; White, J. L.: Shear Flow Rheological Properties, Fiber Damage, and Mastication Characteristics of Aramid-, Glass-, and Cellulose-Fiber-Reinforced Polystyrene Melts, 1217

Daling, G. M. E. See Pizzi, A., 1039
Danecek, J. See Lehotay, J., 1943
Daniels, C. A. See Nakajima, N., 2019
Davidson, T. E.
—; Roberts, C. W.: Energetics of Some Bromine Containing Aromatic Fire Retardants from Luminescence Properties (Note), 2439
—; Roberts, C. W.: Thermal Properties of Some Bromine-Containing Aromatic Fire Retardants (Note), 1491
Day, M.
—; Ho, K.; Wiles, D. M.: The Role of Flame-Retardant Chemicals in the Thermal Degradation of Poly(ethylene Terephthalate). Studies with the Model Ester *n*-Propyl Pyrene-1-Carboxylate, 2943

De, S. K. See Bhattacharya, S. K., 111; Nando, G. B., 1249
Deshe, A. See Belfer, S., 2241
Devine, M. P. See Brodman, B. W., 1245
Dietz, R.
Characterization of Long-Chain Branching in Poly(vinyl Acetate) by Sedimentation Velocity and Exclusion Chromatography (Note), 951
Doane, W. M. See Fanta, G. F., 2285
Dobbin, C. J. B.
—; Rudin, A.; Tchir, M. F.: Evaluation of GPC Methods for Estimation of Mark–Houwink–Sakurada Constants, 2985
Dogra, R. See Misra, B. N., 235
Doolittle, A. K.
A VSE Equation of State for Liquids. VI. Polymethylene 450–650 K, 307
Critical Appraisal of the Volume-Entropy-Energy Equation for Liquids, 2305
Dostal, J. See Militky, J., 1195
Drews, M. J. See Langley, J. T., 243
Duckett, R. A. See Hope, P. S., 1373; Perena, J. M., 1381
Duda, J. L. See Vrentas, J. S., 1297, 1793
Dusek, K. See Lebedev, Ye. V., 2493
Dvornic, P. R.
—; Lenz, R. W.: Exactly Alternating Silarylene–Siloxane Polymers. I. The Synthesis and Stability of Bis(1,1-tetramethylene-3-phenylureido)dimethylsilane, 641
Dyaschkovskii, F. S. See Kritskaya, D. A., 349
Dynes, P. J.
—; Panos, R. M.; Hamermesh, C. L.: Investigation of the Crosslinking Efficiency of Some Additional Curing Polyimides, 1059

Eib, N. K.
—; Mittal, K. L.; Friedrichs, A.: Wettability Studies of Plasma-Polymerized Hexamethyldisilazane (Note), 2435
Eiden, C. A.
—; Jewell, C. A.; Wightman, J. P.: Interaction of Lead and Chromium with Chitin and Chitosan, 1587
El Alfy, E. A. See Hebeish, A., 223
El-Hamouly, S. H. See Messiha, N. N., 51
Ellison, M. S. See Zeronian, S. H., 1311
Eroglu, H.
—; Andreolety, J. P.; Silvy, J.; Cheradame, H.: The Influence of Poly(styrene Sulfonate) Addition to Cellulosic Fibers by Wet Processing on the Physicomechanical Properties of Paper, 841
Evans, D. L. See Mukherji, A. K., 1145
Everett, A. L. See Jordan, E. F., Jr., 2621

Fanta, G. F.
—; Burr, R. C.; Doane, W. M.: Polymerization of Alkyl Acrylates and Alkyl Methacrylates with Starch, 2285
Fearheller, S. H. See Jordan, E. F., Jr., 2621, 2755
Felder, R. M. See Yi-Yan, N., 1755
Fellers, J. F. See Omotoso, M. A. A., 1573
Felty, D. C. See Lawton, E. L., 187
Fenyo, J. C. See Muller, G., 627
Fornes, R. E. See Prabhu, P., 2589
French, A. D.
—; Mitcham, D.; Rowland, S. P.: Digital Comparison of X-Ray Diffraction Data from Cotton Textiles, 1469
French, D. M.
Crosslink Density and Solvent Swelling of Filled and Unfilled Stocks, 665
Crosslink Density and Solvent Swelling of Filled and Unfilled Stocks (Erratum), 1519
Fricke, A. L. See Pusatcioglu, S. Y., 381
Friedrich, C. See Lemoyne, C., 1883
Friedrichs, A. See Eib, N. K., 2435
Fritschy, G.
—; Papirer, E.: Bitumen–Silica Model Composites: The Role of the Filler, 1867
Fujimura, H. See Ogata, N., 1419
Fujimura, T. See Suto, S., 1509
Furusawa, K. See Onda, N., 2363

Gabrys, R. See Sikorski, R. T., 1131
Gale, D. M.
Effect of Copolyether-Ester Additives on the Melt Rheology of Polyoxymethylene, 2221
Galembeck, F.
—; Ghizoni, C. C.; Ribeiro, C. A.; Vargas, H.; Miranda, L. C. M.: Characterization of a New Composite Material: Fe_2O_3-Impregnated Poly(tetrafluoroethylene). Particle Size Determination and Photoacoustic Spectroscopy, 1427
Gardner, R. J.
—; Martin, J. R.: Effect of Relative Humidity on the Mechanical Properties of Poly(1,4-Butylene Terephthalate), 2353
Garton, A.
—; Carlsson, D. J.; Holmes, L. L.; Wiles, D. M.: Trans–Gauche Rotational Isomers in Partially Oriented Poly(ethylene Terephthalate) Fibers (Note), 1505
Gent, A. N. See Chang, R. J., 163
Ghizoni, C. C. See Galembeck, F., 1427
Gilbert, R. D. See Prabhu, P., 2589
Glozman, R. See Belfer, S., 2241
Goto, K. See Iida, T., 887, 1407, 2143
Goynes, W. R., Jr. See Harris, J. A., 2295
Gozdz, A. S.
—; Trochimczuk, W.: Continuous Modification of Polyethylene with Styrene and Divinylbenzene in Melt (Note), 947
Graessley, W. W. See Ver Strate, G., 59
Granzow, A.
—; Savides, C.: Flame Retardancy of Polypropylene and Impact Polystyrene: Phosphonium Bromide/Ammonium Polyphosphate System, 2195
Greco, A.
—; Bertolini, G.; Cesca, S.: New Crystalline Complex Chlorides Containing Transition Metal Chlorides or Oxychlorides as Components of Coordination Catalysts, 2045
Greenberg, A. R.
—; Kusy, R. P.: Influence of Crosslinking on the Glass Transition of Poly(acrylic Acid) (Note), 1785
—; Kusy, R. P.: Viscoelastic Behavior of Highly Crosslinked Poly(acrylic Acid), 2795
Grignon, J.
—; Scallan, A. M.: The Effect of pH and Neutral Salts upon the Swelling of Cellulose Gels, 2829
Guise, G. B.
—; Smith, G. C.: Properties of Some Cast Polyurethane Rubbers Prepared from Poly-ε-caprolactone Polyols and Diisocyanates, 149
Gupta, A. K. See Bajaj, P., 1673
Gupta, D. C. See Bajaj, P., 1673
Gupta, M. C.
—; Nath, J. D.: Thermal Degradation of Polystyrene. I. Chain Scission at Low Temperature in Air, 1017
Gupta, P. K. S. See Bamford, C. H., 2559
Gupta, S. K.
—; Kumar, A.; Saraf, R.: Condensation Polymerizations in Ideal Continuous-Flow-Stirred Tank Reactors of Monomers Violating the Equal Reactivity Hypothesis, 1049
Guthrie, J. T. See Batty, N. S., 2539
Gutowski, J. See Whitcomb, P. J., 2815

Hager, S. L.
—; Macrury, T. B.: Investigation of Phase Behavior and Water Binding in Poly(alkylene Oxide) Solutions, 1559
Hagiwara, I. See Tsuzuki, M., 2721, 2909
Hagiwara, M. See Morita, Y., 2711
—; Sohara, M.; Araki, K.; Kagiya, T.: Improvement of Flame-Retardant Properties of Insulated Wires by Radiation Crosslinking, 1541

Hakeem, N. A. See Moharram, M. A., 427
Halary, J. L. See Lemoyne, C., 1883
Hamann, H. C. See Yang, C. M., 2555
Hamermesh, C. L. See Dynes, P. J., 1059
Hannigan, M. V. See Jordan, E. F., Jr., 2621
Hargest, S. C.
—; Manson, J. A.; Sperling, L. H.: Characterization of Anionic/Cationic Sequential IPNs. II. Studies of Swelling, Modulus, and Alternate Phase Staining with CsF and LiI, 469
Harris, J. A.
—; Keating, E. J.; Goynes, W. R., Jr.: Flame-Resistant Cotton Textiles by a Continuous Photocuring Process, 2295
Hart, G. K. See Lee, C-O., 955
Hassler, J. C. See Pusatcioglu, S. Y., 381
Haward, R. N. See Ahmed, I. K., 821
Hebeish, A.
—; El Alfy, E. A.; Waly, A.; Abou-Zeid, N. Y.: Graft Copolymerization of Vinyl Monomers onto Modified Cottons. XII. Grafting of 1,1-Dihydroperfluoroheptyl Acrylate onto Cellulose Carbamate using Hydrogen Peroxide as Initiator, 223
—; Waly, A.; Moursi, A. Z.; Mohdy, F. A. A.: Dyeing of Chemically Modified Cellulose. VII. Dyeability of Cellulose Bearing Aromatic Amino, Nitro, and Acrylamidomethyl Groups, 457
Hebert, J. J. See Boylston, E. K., 2105
Hellman, M. Y. See Pryde, C. A., 2573
Hirai, Y. See Onda, N., 2363
Ho, K. See Day, M., 2943
Hocker, J.
Structural Investigation of Polyurethanes: Infrared Spectroscopic Investigations of Monomeric and Polymeric *N,N'*-Diaryl Ureas, 2879
Holland, V. F. See Lawton, E. J., 187
Holmes, L. L. See Garton, A., 1505
Hope, P. S.
—; Duckett, R. A.; Ward, I. M.: Effect of Free Monomer Content on the Drawing Behavior of Poly(methyl Methacrylate), 1373
Hourston, D. J.
—; McCluskey, J. A.: Preparation and Properties of a Poly(vinyl Isobutyl Ether)–Poly(ethyl Acrylate) Interpenetrating Polymer Network (Note), 959
Howland, W. W. See Whitcomb, P. J., 2815
Hrivikova, J.
—; Blazkova, A.; Lapcik, L.: The Influence of the Relative Molecular Weight of Natural Rubber on its Thermo-Oxidative Stability, 761
Hsiue, G-H.
—; Yang, C-H.: Morphology and Properties of α-Methylstyrene and Butadiene Diblock Copolymers, 1715
—; Wu, G-W.: The Stress Relaxation of the Thermoplastic Elastomer (SBS Type) (Note), 2119
Hsu, C. C. See Chang, R. J., 163; Lee, D-H., 2373
Huang, L-C. See Lin, C-C., 565
Huang, R. Y. M. See Braks, J. G., 449
Huang, S. J.
—; Byrne, C. A.: Biodegradable Polymers: Photolysis and Fungal Degradation of Poly(arylene Keto Esters), 1951
Huglin, M. B.
—; Richards, R. W.: Characterization of a Nylon 6/Poly(methyl Acrylate) Copolymer Produced by Radiation Grafting, 2513

Iida, T.
—; Goto, K.: Stabilization of Poly(vinyl Chloride). V. Synergism between Metal Soaps and Polyols upon Stabilization of Poly(vinyl Chloride), 887
—; Goto, K.: Stabilization of Poly(vinyl Chloride). V. Synergism between Metal Soaps and Polyols upon Stabilization of Poly(vinyl Chloride) (Erratum), 2143
—; Goto, K.: Stabilization of Poly(vinyl Chloride). VI. Synergetic Effects of Aminopolycarboxylates or Nitrogen-Containing Agents with Zinc Stearate/Calcium Stearate Soap, 1407
Ikeda, R. M.
—; Angelo, R. J.; Boettcher, F. P.; Blomberg, R. N.; Samuels, M. R.: Polymerization from the Vapor Phase. I. Poly(*p*-phenyleneterephthalamide) Gas Barrier Coatings, 1391
Ilavsky, M. See Lebedev, Ye. V., 2493
Imahashi, T. See Miyata, S., 415
Imamura, S.
—; Teramoto, M.; Ogawa, Y.; Teranishi, H.: UV-Irradiated Ozonation of Water-Soluble Polymers, 997
Inagaki, H. See Schaller, J., 783
Iremonger, M. J.
—; Lawler, J. P.: Relationship Between Modulus and Density for High-Density Closed-Cell Thermoplastic Foams, 809
Iseda, Y. See Kaneko, Y., 2467; Watabe, Y., 2739, 2749
Ishii, M. See Watabe, Y., 2739, 2749
Ito, E.
—; Kobayashi, Y.: Effects of Absorbed Water on Physical Properties of Polyesters, 2145
Iwatsu, T. See Mizutani, K., 2647
Iyer, K. R. K. See Iyer, P. B., 2235, 2951
Iyer, P. B.
—; Iyer, K. R. K.; Patil, N. B.: Comparative Study of the Properties of Differently Decrystallized and Crosslinked Cotton Fibers, 2951
—; Iyer, K. R. K.; Patil, N. B.; Bhatt, I. G.: Dyeing of Cotton Fibers Decrystallized by Alkali Swelling and Partial Substitution, 2235

Jackson, W. J., Jr.
—; Kuhfuss, H. F.: Liquid Crystal Polymers. III. Preparation and Properties of Poly(ester Amides) from *p*-Aminobenzoic Acid and Poly(ethylene Terephthalate), 1685
Jansa, J. See Militky, J., 1195
Jewell, C. A. See Eiden, C. A., 1587
Jones, R. S.
—; Soehngen, J. W.: Aromatic Poly(1,4-phenylene-1,3,4-oxadiazole) Fibers by Dry Jet-Wet Spinning, 315
Jordan, E. F., Jr.
—; Artymyshyn, B.; Everett, A. L.; Hannigan, M. V.; Feairheller, S. H.: Polymer-Leather Composites. I. Process and Location Study for the Deposition of Selected Acrylate Monomers by Polymerization into Chrome-Tanned Cattlehide, 2621
—; Feairheller, S. H.: Polymer–Leather Composites. II. Kinetics of the Deposition of Selected Acrylate Monomers by Polymerization into Chrome-Tanned Cattlehide, 2755
Ju, H-L. See Chen, S-A., 1105

Kagiya, T. See Hagiwara, M., 1541
Kajiyama, T. See Takahara, A., 597
Kalyanaraman, A. R.
Spirality of the Crystallites of the Natural Cotton Fibers, 2523
Kaneko, Y.
—; Watabe, Y.; Okamoto, T.; Iseda, Y.; Matsunaga, T.: Effect of Molecular Weight Distribution of Poly(oxytetramethylene)glycol on Cut Growth Resistance of Polyurethane, 2467
Katayama, A. See Nango, M., 2159
Kaura, T.
—; Nath, R.: Proposed Model for Pyroelectric Effect in Poly(vinylidene Fluoride), 703
Keating, E. J. See Harris, J. A., 2295
Khan, A. H. See Venkatesh, G. M., 1601
Khanna, D. N. See Varshney, S. K., 2501
King, W. D. See Rowland, S. P., 2229
Knapp, W. C. See Axelson, D. E., 119
Kobayashi, A.
—; Ohtani, N.; Munemura, M.: Dynamic Stress Intensity Factors during Viscoelastic Crack Propagation at Various Strain Rates, 2789
Kobayashi, Y. See Ito, E., 2145; Yokouchi, M., 1007
Koenig, J. L. See Liu, N-I., 2205
Kojima, K. See Yoshikuni, M., 1991

Kokta, B. V. See Chen, R., 2211
Kolawole, E. G.
—; Mbamali, G. E.; Olayemi, J. Y.: Environmental and Thermal Oxidation of Poly(vinyl Chloride) and Impact-Modified Poly(vinyl Chloride). I (Note), 2133
Kolbrecki, A. See Orzeszko, A., 2969
Kondo, K. See Shigeno, Y., 731
Koros, W. J. See Ranade, G., 2179; Yi-Yan, N., 1755
Kratochvil, P. See Stejskal, J., 407
Krieger, B. B. See Allan, G. G., 1839
Krieger, I. M. See Chonde, Y., 2407
Kritskaya, D. A.
—; Pomogailo, A. D.; Ponomarev, A. N.; Dyaschkovskii, F. S.: Functionalization of Polymer Supports for Polymerization Catalysts by Graft Polymerization Method, 349
Kroenke, W. J. See Lattimer, R. P., 101
Kubota, H.
—; Ogiwara, Y.: Cellulose Peroxides Derived from Carbonylated Cellulose and Hydrogen Peroxide, 683
Kuhfuss, H. F. See Jackson, W. J., Jr., 1685
Kumar, A. See Gupta, S. K., 1049
Kurihara, H. See Watanabe, H., 277
Kurokawa, N.
—; Tabata, M.; Sohma, J.: Polymerization of Ethylene and Propylene Initiated by Milled Alumina Powder, 1209
Kurokawa, Y.
—; Shirakawa, N.; Terada, M.; Yui, N.: Formation of Polyelectrolyte Complex and Its Adsorption Properties, 1645
Kuroki, N. See Nango, M., 2159
Kusy, R. P. See Greenberg, A. R., 1785, 2795
Kuwabara, C. See Arai, K., 2935
Kvitka, N. A. See Lipatov, Y. S., 1029
Kwon, Y. D. See Prevorsek, D. C., 2063
—; Butler, R. H.; Prevorsek, D. C.: A Similarity Criterion of the Optimal Process in Melt Spinning, 1165

Ladisch, M. R. See Bao, Y. T., 263
La Mantia, F. P. See Acierno, D., 2001
—; Acierno, D.: Transient Response in Nonlinear Region of Molten Polymers Subjected to a Sudden Imposition of Constant Shear Stress or Constant Electric Field, 555
Lamontagne, P. B. See Bosisio, R. G., 711
Langley, J. T.
—; Drews, M. J.; Barker, R. H.: Pyrolysis and Combustion of Cellulose. VII. Thermal Analysis of the Phosphorylation of Cellulose and Model Carbohydrates During Pyrolysis in the Presence of Aromatic Phosphates and Phosphoramides, 243
Lapcik, L. See Hrivikova, J., 761
Lattimer, R. P.
—; Kroenke, W. J.: The Formation of Volatile Pyrolyzates from Poly(vinyl Chloride), 101
Lawler, J. P. See Iremonger, M. J., 809
Lawton, E. L.
—; Murayama, T.; Holland, V. F.; Felty, D. C.: Reinforcement of Acrylonitrile Copolymer by Polymer Blending, 187
Lebedev, Ye. V.
—; Ilavsky, M.; Dusek, K.; Pelzbauer, Z.; Lipatov, Y. S.: Effect of Composition on the Mechanical Properties of Blends of the Copolymer ABS with Polyamides 6 and 12, 2493
Ledwith, A. See Bamford, C. H., 2559
Lee, C-O.
—; Hart, G. K.: The Permeability of Polyethylene to Ammonia (Note), 955
Lee, D-H.
—; Hsu, C. C.: Polymerization of Butadiene in Toluene with Nickel (II) Stearate-Diethyl Aluminum Chloride Catalyst. I. Catalytic Behaviors, 2373
Lee, K. L. See Burghoff, H.-G., 323
Lehotay, J.
—; Danecek, J.; Liska, O.; Lesko, J.; Brandsteterova, E.: Analytical Study of the Additives System in Polyethylene, 1943
Lemoyne, C.
—; Friedrich, C.; Halary, J. L.; Noel, C.; Monnerie, L.: Physicochemical Processes Occurring During the Formation of Cellulose Diacetate Membranes. Research of Criteria for Optimizing Membrane Performance. V. Cellulose Diacetate–Acetone–Water–Inorganic Salt Casting Solutions, 1883
Lenka, S. See Nayak, P. L., 63
—; Nayak, P. L.; Mishra, M. K.: Grafting Vinyl Monomers onto Cellulose. I. Graft Copolymerization of Methyl Methacrylate onto Cellulose using Quinquevalent Vanadium Ion, 1323
Lenz, R. W. See Dvornic, P. R., 641
Lesko, J. See Lehotay, J., 1943
Lewis, D. H., Jr.
—; Ryason, P. R.: Apparent Viscosity of a Fluid–Gas Mixture, 1695
Lin, C-C. See Turner, J. E., 1287
—; Chiu, W-Y.; Huang, L-C.: Emulsion Polymerization Kinetics and Reactor Design. IV. Continuous-Flow Operation with Recycling, 565
—; Yang, B-Z.: Rheological and Mechanical Properties of Polyurethane Modified by BHET, 1875
Lipatov, Y. S. See Lebedev, Ye. V., 2493
—; Rosovitsky, V. F.; Babich, B. V.; Kvitka, N. A.: On Shift and Resolution of Relaxation Maxima in Two-Phase Polymeric Systems, 1029
Lipska, A. E. See Zeronian, S. H., 519
Liska, O. See Lehotay, J., 1943
Liu, H. T. See Vrentas, J. S., 1297, 1793
Liu, L-J. See Chonde, Y., 2407
Liu, N-I.
—; Tong, S. N.; Koenig, J. L.: Stereoregularity of PVC Studied by ^{13}C NMR, 2205
Lora, J. H. See Wayman, M., 2187
—; Wayman, M.: Simulated Autohydrolysis of Aspen Milled Wood Lignin in the Presence of Aromatic Additives Changes in Molecular Weight Distribution, 589
Lovinger, A. J.
—; Williams, M. L.: Tensile Properties and Morphology of Blends of Polyethylene and Polypropylene, 1703
Lu, W-C. See Needles, H. L., 1737, 1745
Lucas, G. M. See Bolon, D. A., 543
Lusher, H. M. See Sefton, M. V., 2167

Machi, S. See Watanabe, H., 277; Yamaguchi, K., 1633
Macosko, C. W. See Steinle, E. C., 2317
Macrury, T. B. See Hager, S. L., 1559
Madan, G. L. See Venkatesh, G. M., 1601
Maekawa, M. See Nango, M., 2159
Magoshi, J.
—; Magoshi, Y.; Nakamura, S.: Physical Properties and Structure of Silk. III. The Glass Transition and Conformational Changes of Tussah Silk Fibroin (Erratum), 1813
Magoshi, Y. See Magoshi, J., 1813
Mahalingam, R. See Biyani, R. K., 1257
Malin, M. J.
Stabilization of UV-Curable Vinyl Compositions by Transition Metal Compounds, 2613
Mann, J. L. See Sefton, M. V., 829
Manson, J. A. See Hargest, S. C., 469
Mansson, P.
—; Westfelt, L.: Selective Aminolysis of Mixed Esters of Cellulose, 1533
Markin, C.
—; Williams, H. L.: Polypropylene/ABS–Terpolymer Blends. Mixing and Mechanical Properties, 2451
Marmur, A.
—; Narkis, M.; Woogen, W.: Characterization of Treated Polyolefin Surfaces by a Liquid Mixture Spreading Technique (Note), 1253
Martin, J. R. See Gardner, R. J., 2353
Matsuda, H.
Crosslinking of Partially Neutralized Carboxyl-Terminated Liquid Rubbers with Bisepoxide and Anhydride, 1915

Crosslinking of Partially Neutralized Liquid Rubbers Containing Terminal and Pendent Carboxyl Groups with Anhydride and Bisepoxide, 2339
Matsunaga, T. See Kaneko, Y., 2467
Matsuzaki, K. See Nakamura, S., 1833
Matton, R. W. See Wilde, A. F., 615
Mattucci, A. M. See Busetto, C., 395
Matynia, T.
Diels–Alder Adducts as Epoxy Resin Hardeners, 1
Maxwell, B. See Thornton, B. A., 653
Mayer, G. See Braks, J. G., 449
Mbamali, G. E. See Kolawole, E. G., 2133
McCluskey, J. A. See Hourston, D. J., 959
McGee, H. A., Jr. See Pusatcioglu, S. Y., 381
Mehta, I. K. See Misra, B. N., 235
Merin, U.
—; Cheryan, M.: Ultrastructure of the Surface of a Polysulfone Ultrafiltration Membrane (Note), 2139
Meskin, A. S. See Price, A. F., 2597
Messiha, N. N.
—; Nosseir, M. H.; El-Hamouly, S. H.: Structure and Properties of *o*-Carboxymaleanilic Polyester Resins, 51
Mey-Marom, A.
—; Behar, D.: Thermal Decomposition Studies of Cotton Radiolytically Grafted with Phosphorus- and Bromine-Containing Flame Retardants, 691
Migliaresi, C. See Busico, V., 2857
Mijovic, J.
Morphology and Fracture Properties of Pure and Reinforced Aluminum-Epoxy Adhesive Joints, 1179
Militky, J.
—; Rais, J.: A Simple Procedure for Estimating the Diffusion Coefficient from Sorptive Experiments in the Infinite Bath (Note), 2429
—; Vanicek, J.; Dostal, J.; Jansa, J.; Cap, J.: Influence of Diethylene Glycol Content on Behavior of Poly(ethylene Terephthalate) Fibers, 1195
Minnick, L. A. See Schulken, R. M., 1341
Minoshima, W.
—; White, J. L.; Spruiell, J. E.: Experimental Investigations of the Influence of Molecular Weight Distribution on Melt Spinning and Extrudate Swell Characteristics of Polypropylene, 287
Mirabella, F. M., Jr.
Investigation of the Dependence of the Infrared Absorptivity of a Functional Moiety on the Molecular Weight of a Homopolymer, 2265
Measurement of Number-Average Molecular Weights and Second Viral Coefficients of Polyolefins using an Improved Vapor Pressure Osmometer, 1775
Miranda, L. C. M. See Galembeck, F., 1427
Mishra, M. K. See Lenka, S., 1323; Nayak, P. L., 63
Miskiewicz, J. See Zurek, W., 2681
Misra, B. N.
—; Mehta, I. K.; Dogra, R.: Grafting onto Wool. VII. Ceric Ion-Initiated Graft Copolymerization of Vinyl Monomers. Comparison of Monomer Reactivities, 235
Mitcham, D. See French, A. D., 1469
Mittal, K. L. See Eib, N. K., 2435
Miwa, M.
—; Ohsawa, T.; Tahara, K.: Effects of Fiber Length on the Tensile Strength of Epoxy/Glass Fiber and Polyester/Glass Fiber Composites, 795
Miyamoto, T. See Schaller, J., 783
Miyata, S.
—; Imahashi, T.; Anabuki, H.: Fire-Retarding Polypropylene with Magnesium Hydroxide, 415
Mizutani, K.
—; Iwatsu, T.: Temperature Dependence of Tensile Properties of Composites Consisting of Carbon-Fiber Tow in Thermosetting Polymers (Note), 2647
Mizutani, Y.
—; Nishimura, M.: Microstructure of Cation Exchange Membranes Prepared by the Paste Method, 2925
—; Nishimura, M.: Structure and Properties of Microporous Membranes Prepared by Applying Phase Separation during Polymerization, 2273
Moayyedi, F. See Owen, E. D., 2331
Mohan, D.
—; Radhakrishnan, G.; Nagabhushanam, T.: Synthesis of Casein–*g*–Poly(butyl Acrylate) (Note), 1799
Moharram, M. A.
—; Hakeem, N. A.: Effect of Crystalline Structure on the Infrared Spectra of γ-Irradiated Cotton Cellulose, 427
Mohdy, F. A. A. See Hebeish, A., 457
Monjaras, M. See Belmares, H., 2115
Monnerie, L. See Lemoyne, C., 1883
Morita, Y.
—; Hagiwara, M.; Araki, K.: Flame-Retardant Modification of Ethylene–Propylene Copolymer with Monomers Containing Bromine and/or Phosphorus, 2711
Moshonov, A.
—; Avny, Y.: The Initiation of *in situ* Polymerization of Vinyl Monomers in Polyester by Glow Discharge, 89
—; Avny, Y.: The Use of Acetylene Glow Discharge for Improving Adhesive Bonding of Polymeric Films, 771
Moursi, A. Z. See Hebeish, A., 457
Mukherjea, R. N.
—; Saha, K. K.: Moisture-Cured Polyurethane Based on Polyester and Polycarbonate Polyols, 2699
Mukherjee, A. C. See Mukhopadhyay, A. K., 2129
Mukherji, A. K.
—; Butler, M. A.; Evans, D. L.: Compositional Determination of 2,6-Dimethyl-1,4-phenylene Oxide and Styrene Homopolymer Blends by Infrared Spectrometry and Pyrolysis Gas Chromatography, 1145
Mukhopadhyay, A. K.
—; Mukherjee, A. C.; Mukhopadhyay, U.: Enzyme Dissolution Technique for Studying the Fine Structure of Jute Fiber at Different Stages of Growth (Note), 2129
Mukhopadhyay, U. See Mukhopadhyay, A. K., 2129
Muller, G.
—; Fenyo, J. C.; Selegny, E.: High Molecular Weight Hydrolyzed Polyacrylamides. III. Effect of Temperature on Chemical Stability, 627
Muller, L. L. See Reinhardt, R. M., 933
Munemura, M. See Kobayashi, A., 2789
Murayama, M. See Yano, S., 433
Murayama, T. See Lawton, E. L., 187
Dynamic Compression Mechanical Properties of Fiber Masses with a Rheovibron Viscoelastometer, 529

Nadiger, G. S. See Bhat, N. V., 635, 921
Nagabhushanam, T. See Mohan, D., 1799
Nagashiro, W.
—; Tsunoda, T.: Rheological Properties of Iron Oxide Particle Suspensions, 2961
Nakajima, N.
—; Daniels, C. A.: Plastisols of Poly(vinyl Chloride); Particle Size Distribution, Morphology, Rheology, and Mechanism of Aging, 2019
Nakamura, S. See Magoshi, J., 1813
—; Yoshikawa, E.; Matsuzaki, K.: Graft Copolymerization of Styrene onto Cellulose Acetate *p*-Nitrobenzoate by Chain Transfer Reaction, 1833
Nando, G. B.
—; De, S. K.: Effect of Lignin on the Network Structure and Properties of Natural Rubber Mixes Vulcanized by Conventional, Semiefficient and Efficient Vulcanization Systems (Note), 1249
Nango, M.
—; Maekawa, M.; Katayama, A.; Kuroki, N.: Dyeing of Cellulose by Direct Dye in Aqueous Sodium Alginate Solution, 2159
Narebska, A. See Ostrowska, B., 2845

Narkis, M. See Marmur, A., 1253
—; Ram, A.; Stein, Z.: Effect of Crosslinking on Carbon Black/Polyethylene Switching Materials (Note), 1515
Nath, J. D. See Gupta, M. C., 1017
Nath, R. See Kaura, T., 703
Nayak, P. L. See Lenka, S., 1323; Panda, G., 1479
—; Lenka, S.; Mishra, M. K.: Grafting Vinyl Monomers Onto Wool Fibers. V. Graft Copolymerization of Methyl Methacrylate Onto Wool Using Peroxydiphosphate as Initiator, 63
Needles, H. L.
—; Berns, R. S.; Lu, W-C.; Alger, K.; Varma, D. S.: Effect of Nonionic Surfactant and Heat on Selected Properties of Polyester, 1737
—; Lu, W-C.; Alger, K.; Varma, D. S.: Effect of Nonionic Surfactant and Heat on Selected Properties of Nylon 6,6, 1745
Negishi, A.
—; Ogiwara, Y.: ESR Study of the Effect of Ferric Chloride on the Photodegradation of Model Compound for Polypropylene, 1095
Newell, J. J. See Ambrose, R. J., 1335
Nichols, L. F. See Zlatkevich, L. Y., 963
Nicolais, L. See Busico, V., 2857
Nierzwicki, W.
—; Wysocka, E.: Microphase Separation and Properties of Urethane Elastomers, 739
Nishimura, M. See Mizutani, Y., 2273, 2925
Nishitani, T.
—; Ohnishi, T.: Optical Relation of Plastically Deforming Polymer Solid (Note), 1807
Nishizaki, H.
—; Yoshida, K.; Wang, J. H.: Comparative Study for Various Methods for Thermogravimetric Analysis of Polystyrene Degradation, 2869
Noel, C. See Lemoyne, C., 1883
Nosseir, M. H. See Messiha, N. N., 51
Nowlin, T. E. See Raschke, C. R., 1639
—; Smith, D. F., Jr.: Surface Characterization of Plasma-Treated Poly-*p*-Xylylene Films, 1619

Ogata, N. See Azuma, C., 1273
—; Sanui, K.; Fujimura, H.: Active Transport Membrane for Chlorine Ion, 1419
Ogawa, Y. See Imamura, S., 997
Ogiwara, Y. See Arai, K., 2935; Kubota, H., 683; Negishi, A., 1095
Ogo, Y. See Okui, T., 747
Ohnishi, T. See Nishitani, T., 1807
Ohsawa, T. See Miwa, M., 795
Ohtani, N. See Kobayashi, A., 2789
Okamoto, T. See Kaneko, Y., 2467
Okamoto, Y. See Banks, E., 359; Ueba, Y., 2007
Okui, T.
—; Ogo, Y.: Thermolysis and Hydrogenolysis of Polyethylene under Steam Pressure, 747
Olayemi, J. Y. See Kolawole, E. G., 2133
Olson, D. R. See Bolon, D. A., 543
Omotoso, M. A. A.
—; White, J. L.; Fellers, J. F.: Melt Spinning of High-Impact Polystyrene: Rubber Morphology Variations, Orientation Development, and Mechanical Properties, 1573
Onda, N.
—; Furusawa, K.; Yamaguchi, N.; Tokiwa, M.; Hirai, Y.: Gel Permeation Chromatography using Controlled-Porosity Glass. II. Polyacrylamide Aqueous Solutions, 2363
Ore, S.
Methods for the Simultaneous Measurement of Continuous and Intermittent Stress Relaxation of Rubber Vulcanizates (Note), 2427
Ortega, M. See Belmares, H., 2115
Orzeszko, A.
—; Kolbrecki, A.: Thermal Degradation of Polyurethanes. Model Compounds, 2969
Ostrowska, B.
—; Narebska, A.: Diffusion of Dyes in Polyester Fibers. II. Diffusion Coefficients from the Radial Distribution Curves, 2845
Owen, E. D.
—; Pasha, I.; Moayyedi, F.: Catalytic Effect of Hydrogen Chloride on the Degradation of Poly(vinyl Chloride), 2331
—; Pasha, I.: Photochemical Reactions of Polyene Sequences Produced During the Degradation of Poly(vinyl Chloride), 2417

Packirisamy, S. See Biswas, M., 511
Panda, G.
—; Pati, N. C.; Nayak, P. L.: Grafting Vinyl Monomers onto Silk Fibers. VIII. Graft Copolymerization of Methyl Methacrylate onto Silk using Tetravalent Manganese–Oxalic Acid Redox System, 1479
Panos, R. M. See Dynes, P. J., 1059
Papirer, E. See Fritschy, G., 1867
Paralikar, K. M. See Bhat, N. V., 635
Parsons, I. W. See Ahmed, I. K., 821
Pasha, I. See Owen, E. D., 2331, 2417
Pati, N. C. See Panda, G., 1479
Patil, N. B. See Chidambareswaran, P. K., 1825; Iyer, P. B., 2235, 2951
Paul, D. R. See Chan, A. H., 971; Cruz, C. A., 1549
Paulos, J. P.
—; Thomas, E. L.: Effect of Postdrawing on the Permeability of Gases in Blown Polyethylene Film, 15
Peiffer, D. G.
The Molecular Factors Affecting The Solubility Parameter, 369
Pelzbauer, Z. See Lebedev, Ye. V., 2493
Perena, J. M.
—; Duckett, R. A.; Ward, I. M.: A Study of the Drawing Behavior of Poly(ethylene Terephthalate), 1381
Peters, R. H. See Boussias, C. M., 855, 869
Petrak, K.
—; Pitts, E.: Permeability of Oxygen through Polymers. II. The Effect of Humidity and Film Thickness on the Permeation and Diffusion Coefficients, 879
Pitts, E. See Petrak, K., 879
Pizzi, A.
Exterior Wood Adhesives by MDI Crosslinking of Polyflavonoid Tannin B Rings (Note), 2123
Wood Waterproofing and Lignin Crosslinking by Means of Chromium Trioxide/Guajacyl Units Complexes, 2547
—; Daling, G. M. E.: Laminating Wood Adhesives by Generation of Resorcinol from Tannin Extracts, 1039
Podkoscielny, W. See Charmas, W., 2393
Polizzotti, G. See Acierno, D., 2001
Pomogailo, A. D. See Kritskaya, D. A., 349
Ponomarev, A. N. See Kritskaya, D. A., 349
Porter, R. S. See Agarwal, S. H., 173
Prabhu, P.
—; Fornes, R. E.; Gilbert, R. D.: X-Ray Diffraction Studies of ABA Propylene–Ethylene Block Copolymers, 2589
Prevorsek, D. C. See Kwon, Y. D., 1165
—; Kwon, Y. D.; Sharma, R. K.: Interpretive Nonlinear Viscoelasticity: Dynamic Properties of Nylon 6, Nylon 66, and Nylon 12 Fibers, 2063
Price, A. F.
—; Cooper, A. R.; Meskin, A. S.: The Urea–Formaldehyde Reaction System. An Experimental Investigation, 2597
Pryde, C. A.
—; Hellman, M. Y.: Solid State of Hydrolysis of Bisphenol-A Polycarbonate. I. Effect of Phenolic End Groups, 2573
Pusatcioglu, S. Y.
—; Hassler, J. C.; Fricke, A. L.; McGee, H. A., Jr.: Effect of Temperature Gradients on Cure and Stress Gradients in Thick Thermoset Castings, 381
Pusch, W. See Burghoff, H.-G., 323

Quackenbos, H. M.
Relation Between Intrinsic Viscosity and Molecular Weight, 1435

Radhakrishnan, G. See Mohan, D., 1799

Rais, J. See Militky, J., 2429
Ram, A. See Narkis, M., 1515
Ranade, G.
—; Stannett, V.; Koros, W. J.: Temperature Dependence and Energetics of the Equilibrium Sorption of Water Vapor in Glassy Polyacrylonitrile, 2179
Raschke, C. R.
—; Nowlin, T. E.: Polyparaxylylene Electrets Usable at High Temperatures, 1639
Reinhardt, R. M.
—; Arthur, J. C., Jr.; Muller, L. L.: Wrinkle-Resistant Cotton by Photoinitiated Reaction with Glycidyl Methacrylate Followed by Crosslinking Reactions, 933
Ribeiro, C. A. See Galembeck, F., 1427
Richards, R. W. See Huglin, M. B., 2513
Rider, P. E.
A Two-Parameter Model for Estimating Hydrogen Bond Enthalpies of Reaction, 2975
Roberts, C. W. See Davidson, T. E., 1491, 2439
Rogers, J. M. See Wilde, A. F., 615
Rooney, J. M.
Synthesis of Phenol-Terminated Polyisobutylene: Competitive Chain Transfer Reactions, 1365
Rosovitsky, V. F. See Lipatov, Y. S., 1029
Rowland, S. P. See French, A. D., 1469
—; Stanonis, D. J.; King, W. D.: Penetration-Sorption of Cotton Fibers Measured by Immersed Weight, 2229
Rudin, A. See Dobbin, C. J. B., 2985
Russo, S. See Acierno, D., 2001
Rutkowska, M.
—; Balas, A.: Influence of NCO:OH Relation and Chain Extender on Primary and Secondary Valence Crosslinks in Urethane Elastomers, 2531
Ryason, P. R. See Lewis, D. H., Jr., 1695

Sadhir, R. K. See Varma, D. S., 487
Saffell, J. R.
—; Windle, A. H.: The Influence of Thermal History on Internal Stress Distributions in Sheets of PMMA and Polycarbonate, 1117
Saha, K. K. See Mukherjea, R. N., 2699
Saito, K. See Yoshikuni, M., 1991
Samuels, M. R. See Ikeda, R. M., 1391
Sanui, K. See Azuma, C., 1273; Ogata, N., 1419
Saraf, R. See Gupta, S. K., 1049
Sato, T.
—; Sieglaff, C. L.: An Alternative Interpretation of Flocculation of Dispersions by Preferential Adsorption of Solvents from Polymer Solution (Note), 1781
Savides, C. See Granzow, A., 2195
Scallan, A. M. See Grignon, J., 2829
Schaller, J.
—; Miyamoto, T.; Shimamura, K.; Inagaki, H.: Membranes Prepared from Keratin–Polyacrylonitrile Graft Copolymers, 783
Schatz, M. See Vondracek, P., 1261
Schreiber, H. P.
—; Croucher, M. D.: Surface Characteristics of Solvent-Cast Polymers, 1961
Schulken, R. M.
—; Cox, R. H.; Minnick, L. A.: Dynamic and Steady-State Rheological Measurements on Polymer Melts, 1341
Sefton, M. V.
—; Lusher, H. M.: Hydraulic Permeability of Open-Cell Hydrophilic Polyurethane Foams, 2167
—; Mann, J. L.: Absorption of Benzene by Open-Cell Polyurethane Foams, 829
Sehgal, K. C. See Chang, R. J., 163
Selegny, E. See Muller, G., 627
Sharma, K. K.
—; Varma, I. K.: Graft Copolymerization of Poly(vinyl Chloride) with Styrene. I. Synthesis and Characterization, 1079
—; Varma, I. K.: Graft Copolymerization of Poly(vinyl Chloride) with Styrene. II. Thermal Behavior, 1087
Sharma, R. K. See Prevorsek, D. C., 2063
Sharma, S. P. See Tompkins, H. G., 211
Shen, M. See Turner, J. E., 1287
Shigeno, Y.
—; Kondo, K.; Takemoto, K.: Functional Monomers and Polymers. LXX. On the Adsorption of Iodine onto Chitosan, 731
Shimamura, K. See Schaller, J., 783
Shiraishi, N. See Tsuzuki, M., 2567, 2721, 2909
Shirakawa, N. See Kurokawa, Y., 1645
Sieglaff, C. L. See Sato, T., 1781
Siegmann, A.
—; Baraam, Z.: Melting and Crystallization of Nylon 6 Containing Copper Chloride, 1137
Sikorski, R. T.
—; Gabrys, R.: Halogenated Polyethylenes as Electron-Sensitive Resists, 1131
Silvus, H. S., Jr. See Adams, L. M., 2445
Silvy, J. See Eroglu, H., 841
Smith, D. F., Jr. See Nowlin, T. E., 1619
Smith, G. C. See Guise, G. B., 149
Soehngen, J. W. See Jones, R. S., 315
Soh, S. K.
Measurements of Propagation Rate Constant from Emulsion Polymerization (Note), 2993
Sohara, M. See Hagiwara, M., 1541
Sohma, J. See Kurokawa, N., 1209
Spencer, H. G. See Yavorsky, J. A., 2109
—; Barrie, J. A.: Sorption Kinetics for Asymmetric Binary and Ternary Laminate Slabs in Finite and Semi-Infinite Well-Stirred Baths, 1157
—; Barrie, J. A.: Transient Sorption by Symmetrical Multilaminate Slabs in Well-Stirred Semiinfinite and Finite Baths, 2807
Sperling, L. H. See Hargest, S. C., 469
Spruiell, J. E. See Choi, K. J., 2777; Minoshima, W., 287
Sreenivasan, S. See Chidambareswaran, P. K., 1825
Stannett, V. See Ranade, G., 2179; Zahran, A. H., 535
Stanonis, D. J. See Rowland, S. P., 2229
Starkweather, H. W., Jr.
Cocrystallization and Polymer Miscibility, 139
Stein, Z. See Narkis, M., 1515
Steinle, E. C.
—; Critchfield, F. E.; Castro, J. M.; Macosko, C. W.: Kinetics and Conversion Monitoring in a RIM Thermoplastic Polyurethane System, 2317
Stejskal, J.
—; Kratochvil, P.: Comparison of the Instantaneous and Conversion Chemical Heterogeneity of Random Copolymers, 407
Still, R. H. See Boussias, C. M., 855, 869
Stout, E. I. See Trimnell, D., 2431
Su, W-F. A.
—; Carr, S. H.; Brittain, J. O.: Thermally Stimulated Discharge Current Studies on Low-Temperature Relaxation in Epoxy Resin, 1355
Subramanian, R. V. See Biyani, R. K., 1257
Sugo, T. See Yamaguchi, K., 1633
Sundaram, V. See Chidambareswaran, P. K., 1825
Suto, S.
—; Fujimura, T.: The Die Swell through Converging Slits (Note), 1509

Tabata, M. See Kurokawa, N., 1209
Tagawa, T. See Tai, K., 77, 1789
Tahara, K. See Miwa, M., 795
Tai, K.
—; Arai, Y.; Teranishi, H.; Tagawa, T.: The Kinetics of Hydrolytic Polymerization of ϵ-Caprolactam. IV. Theoretical Aspect of the Molecular Weight Distribution (Note), 1789
—; Teranishi, H.; Arai, Y.; Tagawa, T.: The Kinetics of Hydrolytic Polymerization of ϵ-Caprolactam. II. Determination of the Kinetic and Thermodynamic Constants by Least-Squares Curve Fitting, 77
Takahara, A.
—; Yamada, K.; Kajiyama, T.; Takayanagi, M.: Evaluation of Fatigue Lifetime and Elucidation of Fatigue Mechanism in Plasticized Poly(vinyl Chloride) in Terms of Dynamic Viscoelasticity, 597

Takaku, A.
Effect of Temperature on Creep Fracture of Polypropylene Fibers, 1861
Takayanagi, M. See Takahara, A., 597
Takehisa, M. See Watanabe, H., 277; Yamaguchi, K., 1633
Takemoto, K. See Shigeno, Y., 731
Taleb-Bendiab, S. A.
—; Vergnaud, J-M.: Determination of Mean Molecular Weight of Polyethylene Glycols by Several Physical Methods, 499
Tchir, M. F. See Dobbin, C. J. B., 2985
Terada, M. See Kurokawa, Y., 1645
Teramoto, M. See Imamura, S., 997
Teranishi, H. See Imamura, S., 997; Tai, K., 77, 1789
Thomas, E. L. See Paulos, J. P., 15
Thornton, B. A.
—; Villasenor, R. G.; Maxwell, B.: The Melt Elasticity of Polymer Blends: Polystyrene/Poly(methyl Methacrylate), 653
Ting, R. Y.
—; Cottington, R. L.: Comparison of Laboratory Techniques for Evaluating the Fracture Toughness of Glassy Polymers, 1815
Titomanlio, G. See Acierno, D., 2001
Tokiwa, M. See Onda, N., 2363
Tompkins, H. G.
—; Sharma, S. P.: On the Thickness and Spatial Distribution of a Fluoropolymer Film Deposited by Solution Dipping, 211
Tong, S. N. See Liu, N-I., 2205
Trimnell, D.
—; Stout, E. I.: Grafting Acrylic Acid onto Starch and Poly(vinyl Alcohol) by Photolysis (Note), 2431
Trochimczuk, W. See Gozdz, A. S., 947
Tsao, G. T. See Bao, Y. T., 263
Tsunoda, T. See Nagashiro, W., 2961
Tsuzuki, M.
—; Hagiwara, I.; Shiraishi, N.; Yokota, T.: Characterization of Products Prepared by Homogeneous Grafting of Styrene onto Cellulose in a Sulfur Dioxide–Diethylamine–Dimethyl Sulfoxide Medium, 2909
—; Hagiwara, I.; Shiraishi, N.; Yokota, T.: Homogeneous Graft Copolymerization of Styrene onto Cellulose in a Sulfur Dioxide–Diethylamine–Dimethyl Sulfoxide Cellulose Solvent, 2721
—; Shiraishi, N.; Yokota, T.: Rapid Acetylation of Native Cellulose by TFAA and Characterization of the Products, 2567
Turner, J. E.
—; Shen, M.; Lin, C-C.: Hydrophilic Behavior of HSPAN/PVA Membrane, 1287
Turska, E. See Benecki, W., 2653

Uchiyama, H. See Yokouchi, M., 1007
Ueba, Y. See Banks, E., 359
—; Banks, E.; Okamoto, Y.: Investigation on the Synthesis and Characterization of Rare Earth Metal-Containing Polymers. II. Fluorescence Properties of Eu^{3+}–Polymer Complexes Containing β-Diketone Ligand, 2007
Ugbolue, S. C. O.
—; Aula, S. M.: The Effect of Dyes and Dyeing on the Mechanical Properties of Polymeric Materials, 1071

Valade, J. L. See Chen, R., 2211
Vanicek, J. See Militky, J., 1195
Vargas, H. See Galembeck, F., 1427
Varma, D. S. See Needles, H. L., 1737, 1745
—; Sadhir, R. K.: Radiation-Induced Graft Copolymerization of Methyl Methacrylate on Natural and Modified Wool. V. Crystalline and Morphological Structure, 487
Varma, I. K. See Sharma, K. K., 1079, 1087
Varshney, S. K.
—; Khanna, D. N.: Hexamethyl Cyclotrisiloxane—Styrene Block Copolymers and Their Chemical Composition, 2501
Venkatesh, G. M.
—; Khan, A. H.; Bose, P. J.; Madan, G. L.: Shrinkage and Mechanical Properties of Poly(ethylene Terephthalate) Filaments Treated with Various Organic Solvents, 1601
Vergnaud, J-M. See Taleb-Bendiab, S. A., 499
Ver Strate, G.
—; Cozewith, C.; Graessley, W. W.: Branching by Copolymerization of Monovinyl and Divinyl Monomers in Continuous-Flow Stirred Reactors, 59
Vevers, B. See Warwicker, J. O., 977
Villasenor, R. G. See Thornton, B. A., 653
Vondracek, P.
—; Schatz, M.: NH_3-Modified Swelling of Silica-Filled Silicone Rubber (Erratum), 1261
Vrentas, J. S.
—; Liu, H. T.; Duda, J. L.: Effect of Solvent Size on Diffusion in Polymer–Solvent Systems (Note), 1793
—; Liu, H. T.; Duda, J. L.: Estimation of Diffusion Coefficients for Trace Amounts of Solvents in Glassy and Molten Polymers, 1297

Wada, T. See Watanabe, H., 277
Wada, Y. See Yano, O., 1723
Wagatsuma, M. See Yamamoto, F., 2731
Walczyk, W. See Zabski, L., 2659
Walker, N. See Ahmed, I. K., 821
Waly, A. See Hebeish, A., 223, 457
Wang, J. H. See Nishizaki, H., 2869
Ward, I. M. See Hope, P. S., 1373; Perena, J. M., 1381
Ware, R. A.
—; Cohen, C.: Strain Effects in the Mass Flux of Methanol in Poly(methyl Methacrylate), 717
Warshawsky, A. See Belfer, S., 2241
Warwicker, J. O.
—; Vevers, B.: The Dimensional Changes of Partially Oriented Polyester Yarns Subjected to Dry and Wet Heat, 977
Watabe, Y. See Kaneko, Y., 2467
—; Ishii, M.; Iseda, Y.: New Catalysts for Urea Formation Reaction. I. Effect of Catalyst on Molecular Weight of Polyureaurethane and Determination of the Minimum Demolding Time, 2739
—; Ishii, M.; Iseda, Y.: New Catalysts for Urea Formation Reactions. II. Catalytic Activity of Carboxylic Acids, 2749
Watanabe, H. See Yamaguchi, K., 1633
—; Machi, S.; Kurihara, H.; Wada, T.; Yamaguchi, K.; Watanabe, T.; Takehisa, M.: Radiation-Induced Polymerization of Ethylene in Pilot Plant. IV. Kinetic Analysis, 277
Watanabe, T. See Watanabe, H., 277; Yamaguchi, K., 1633
Wayman, M. See Lora, J. H., 589
—; Lora, J. H.: Simulated Autohydrolysis of Aspen Milled Wood Lignin in the Presence of Aromatic Additives: Structural Modifications, 2187
Webb, K. K. See Bolon, D. A., 543
Weleda, D. See Zabski, L., 2659
Wentworth, S. E. See Wilde, A. F., 615
Westfelt, L. See Mansson, P., 1533
Whitcomb, P. J.
—; Gutowski, J.; Howland, W. W.: Rheology of Guar Solutions, 2815
White, J. L. See Choi, K. J., 2777; Czarnecki, L., 1217; Minoshima, W., 287; Omotoso, M. A. A., 1573
Wightman, J. P. See Eiden, C. A., 1587
Wilde, A. F.
—; Matton, R. W.; Rogers, J. M.; Wentworth, S. E.: Effects of Moisture on the High-Speed Impact Response of Selected Polyurethane–Polyether Block Copolymers, 615
Wiles, D. M. See Day, M., 2943; Garton, A., 1505
Williams, H. L. See Markin, C., 2451
Williams, J. L. See Zahran, A. H., 535
Williams, M. L. See Lovinger, A. J., 1703
Windle, A. H. See Saffell, J. R., 1117

Woogen, W. See Marmur, A., 1253
Work, D. W. See Allan, G. G., 1839
Wu, G-W. See Hsiue, G-H., 2119
Wust, C. J., Jr. See Carey, D. A., 575
Wysocka, E. See Nierzwicki, W., 739
Wyzgoski, M. G.
Physical Aging of Poly(acrylonitrile-Butadiene-Styrene). I. Dynamic Mechanical Measurements, 1443
Physical Aging of Poly(acrylonitrile-Butadiene-Styrene). II. Differential Scanning Calorimetry Measurements, 1455

Yamada, K. See Takahara, A., 597
Yamaguchi, K. See Watanabe, H., 277
—; Watanabe, H.; Sugo, T.; Watanabe, T.; Takehisa, M.; Machi, S.: Radiation-Induced Polymerization of Ethylene in Pilot Plant. V. Molecular Weight Distribution of Polyethylene, 1633
Yamaguchi, N. See Onda, N., 2363
Yamakawa, S. See Yamamoto, F., 2479, 2731
—; Yamamoto, F.: Surface Modification of Polyethylene by Radiation-Induced Grafting for Adhesive Bonding. IV. Improvement in Wet Peel Strength, 25
—; Yamamoto, F.: Surface Modification of Polyethylene by Radiation-Induced Grafting for Adhesive Bonding. V. Comparison with Other Surface Treatments, 41
Yamamoto, F. See Yamakawa, S., 25, 41
—; Yamakawa, S.: Effects of Chromate Treatments on Environmental Stability of Lead/Tin Alloy Joints Bonded with an Ethylene-Acrylic Acid Copolymer. I. Characterization of Chromated Surfaces and Fractured Joint Surfaces, 2479
—; Yamakawa, S.; Wagatsuma, M.: Effects of Chromate Treatments on Environmental Stability of Lead/Tin Alloy Joints Bonded with an Ethylene–Acrylic Acid Copolymer. II. Failure Mechanism in Distilled Water, 2731
Yang, B-Z. See Lin, C-C., 1875
Yang, C. M.
—; Hamann, H. C.: An Analytical Method to Determine Time–Conversion Relationship for a Multicomponent Monomer Mixture in a Suspension Polymerization System, 2555
Yang, C-H. See Hsiue, G-H., 1715
Yano, O.
—; Wada, Y.: Effect of Sorbed Water on Dielectric and Mechanical Properties of Polyion Complex, 1723
Yano, S.
—; Murayama, M.: Effect of Photodegradation on Dynamic Mechanical Properties of Nylon 6, 433
Yavorsky, J. A.
—; Spencer, H. G.: Effects of Annealing on the Sorption of Propane in Polycarbonate (Note), 2109
Yi-Yan, N.
—; Felder, R. M.; Koros, W. J.: Selective Permeation of Hydrocarbon Gases in Poly(tetrafluoroethylene) and Poly(fluoroethylene–Propylene) Copolymer, 1755
Yokota, T. See Tsuzuki, M., 2567, 2721, 2909
Yokouchi, M.
—; Uchiyama, H.; Kobayashi, Y.: Effect of Tensile Strain Rate on the Mechanical Properties of Polystyrene and High-Impact Polystyrene, 1007
Yoshida, K. See Nishizaki, H., 2869
Yoshikawa, E. See Nakamura, S., 1833
Yoshikuni, M.
—; Saito, K.; Kojima, K.: Graft Polymerization of Methyl Methacrylate onto Wool Initiated by Ferric Acetylacetonate/Dichloroacetic Acid System, 1991
Yui, N. See Kurokawa, Y., 1645

Zabski, L.
—; Walczyk, W.; Weleda, D.: Flammability and Thermal Properties of Rigid Polyurethane Foams with Additionally Introduced Cyclic Structures, 2659
Zahran, A. H.
—; Williams, J. L.; Stannett, V.: Radiation Grafting of Acrylic and Methacrylic Acid to Cellulose Fibers to Impart High Water Sorbency, 535
Zeronian, S. H.
—; Adams, S.; Alger, K.; Lipska, A. E.: Phosphorylation of Cellulose: Effect of the Reactivity of the Starting Polymer on the Properties of the Phosphorylated Product, 519
—; Ellison, M. S.; Alger, K.: Influence of Moisture on the Flame Retardance of Textile Fabrics, 1311
Zlatkevich, L. Y.
—; Nichols, L. F.; Crabb, N. T.: Radiothermoluminescence as a Method for the Analysis of Structural Transitions in Polymers (Note), 963
Zurek, W.
—; Miskiewicz, J.; Basista, E.: Mechanical Properties of Twisted Filaments, 2681

Subject Index to Volume 25

Notes and Errata are indicated by the letters N and E, respectively, following the page number.

ABS physical aging of, DSC measurements on, 1455
—, physical aging of, dynamic mechanical measurements on, 1443
Absorbed water, effect of, on polyester properties, 2145
Absorption of benzene, by open-cell polyurethane foams, 829
ABS-terpolymer, blends with polyamides, properties of, 2493
—, blends with PP, properties of, 2451
Acetylated celluloses, dyeing of, 2235
Acetylation of cellulose, native, by TFAA, rapid, 2567
Acetylene, plasma polymerization of, on polymeric films, 771
Acetylene glow discharge, improvement of adhesive bonding of polymeric films by, 771
Acrylate monomers, polymerization of, in chrome-tanned cattlehide, 2755
Acrylates, alkyl, polymerization of, with starch, 2285
Acrylic, fibers, dynamic compression properties of, 529
Acrylic acid, copolymer with allyl acrylate, 1785(N)
—, copolymer with styrene with or without 1-vinylanthracene, rare earth metal salts of, 359
—, copolymer with 1-vinylnapthalene, rare earth metal salts of, 359
—, grafting of, on nylon 6, γ-radiation-induced, 2513
—, grafting of, onto wool, 235
—, grafting on cellulose fibers, increased water sorbency by, 535
—, grafting on PE, plasma-induced, 349
—, grafting on starch and poly(vinyl alcohol) by photolysis, 2431(N)
Acrylic acid-ethylene copolymer, Pb/Sn alloy joints bonded by, chromate treated, environmental stability of, 2479
Acrylic monomers, grafting of, on leather, redox initiated, 2621
—, graft polymerization of lignosulfonate with, 2211
Acrylic polymer-leather composites, 2621
Acrylonitrile, copolymer, reinforcement of, by polymer blending, 187
—, copolymers with 2-methacryloxyethoxy trimethyl silane, structure and properties of, 1673
—, copolymers with 2-methacryloxypropoxytrimethyl silane, structure and properties of, 1673
—, graft copolymers with keratin, membranes from, 783
—, graft polymerization of lignosulfonate with, 2211
—, radiation-induced polymerization of, kinetics of, 2539
Additives, for PE, analytical study of, 1943
Adhesion, of polyurethane, to plasma-treated poly(*p*-xylylene), 1619
—, self-, of elastomers, 163
Adhesive bonding, of polymeric films, improvement of, by acetylene glow discharge, 771
—, radiation-induced grafting, on PE for, 25, 41
Adhesive joints, aluminum-epoxy, morphology and fracture properties of, 1179
Adhesives, wood, exterior, by MDI crosslinking of polyflavonoid tannin B rings, 2123(N)
—, for wood, from tannin extracts, 1039
Adhesives from creosote bush (*Larrea tridentata*) phenolic resin with formaldehyde, 2115(N)
Adiabatic temperature rise, 2317
Adsorption, of iodine onto chitosan, 731
—, of solvents, preferential, from polymer solutions, flocculation of dispersions by, 1781(N)
Adsorption thin-layer chromatography, 1943
Aging, mechanism of, of PVC plastisols, 2019
—, physical, of poly(acrylonitrile-butadiene-styrene), 1443, 1455
Alginate, sodium, direct dyeing of cellulose in solutions of, 2159
Alkyl acrylates and alkyl methacrylates, polymerization of, with starch, 2285
Alloy membranes composed of poly(4-vinyl pyridine) and cellulose acetate, 1969
Allyl acrylate, copolymers with acrylic acid, viscoelastic and swelling behavior of, 2795
—, crosslinking of poly(acrylic acid) by, 1785(N)
Allyl monomers, grafting on PE, PP, and PVC, radiation-induced, 349
Alternating, exactly, silarylene–siloxane polymers, 641
Alumina, milled powder, initiation of ethylene and propylene polymerization by, 1209
Amine-isocyanate reactions, carboxylic acids as catalysts for, 2749
Amino acid endgroup analysis, 783
Aminolysis, selective, of mixed esters of cellulose, 1533
Ammonia, permeability through PE, 955(N)
Ammonium polyphosphate/phosphonium bromide system, in flame retardant polymers, 2195
Analytical study of the additives system in polyethylene, 1943
Annealing, effects of, on the sorption of propane in polycarbonate, 2109(N)
—, sub-T_g, effect of, on gas transport in polycarbonate, 971(N)
Aqueous GPC of nonderivatized cellulose, 263
Aramid-fiber-reinforced polystyrene melts, rheological properties of, 1217
Aromatic fire retardants, Br containing, energetics of, from luminescence properties, 2439(N)
Aspen milled wood lignin, autohydrolysis of, 2187
Asymmetric membranes from cellulose acetate and poly(4-vinyl pyridine) polymer alloys, 1969
Atomic absorption spectroscopy, 1587
Autohydrolysis, of aspen milled wood lignin in the presence of aromatic additives, simulated, 2187
—, of wood lignin, 589

Bingham plastic fluids, calendering of, 967(N)
Biodegradable polymers, 1951
Birefringence, 15, 381, 1373, 1381
—, of melt spun high-impact polystyrene, 1573
—, in PMMA and PC sheets, 1117
—, of polystyrene film, 2777
4,4′-Bis(bromoacetyl) diphenyl ether, poly(keto esters) from, degradation of, 1951
4,4′-Bis(2-bromoproprionyl) diphenyl ether, poly(keto esters) from, degradation of, 1951
4,4′-Bis(chloroacetyl) diphenyl ether, poly(keto esters) from, degradation of, 1951
Bisepoxide, crosslinking of carboxyl containing liquid rubbers by, 2339
Bisepoxide and anhydride, crosslinking of carboxyl-terminated liquid rubbers by, 1915

Bis-(β-hydroxyethyl terephthalate), polyurethanes from, 1875
Bisphenol-A polycarbonate, diffusion and crystallization fronts in swelling of, separation of, 2653
—, hydrolysis of, solid-state, 2573
Bisphenol-S, poly(arylene ether sulfones) from, 821
Bis(1,1-tetramethylene-3-phenylureido)dimethylsilane, synthesis and stability of, 641
Bitumen–silica composites, the role of the filler, 1867
Blends, of PE and PP, morphology and tensile properties of, 1703
—, polyamides with ABS-terpolymer, properties of, 2493
—, polymer, quantitative analysis of, using x-ray diffraction, 1825
—, PP/ABS–terpolymer, properties of, 2451
—, of PS and PPO, compositional analysis of, 1145
Block copolymers, di-, of butadiene and α-methylstyrene, 1715
—, from hexamethyl cyclotrisiloxane and styrene, 2501
—, random, from tetramethylene terephthalate and poly(tetramethylene oxide), 855
Bonding elastomer layers, 163
Branching by copolymerization of monovinyl and divinyl monomers in continuous-flow stirred reactors, 59
Br-containing fire retardants, 1491(N)
Bromine, monomers containing P and/or, flame-retardant modification of ethylene–propylene copolymer by, 2711
Bromine containing aromatic fire retardants, energetics of, from luminescence properties, 2439(N)
Butadiene, diblock copolymers with α-methylstyrene, 1715
—, polymerization of, catalyzed by Ni(II) stearate-diethyl aluminum chloride catalyst, 2373
1,4-Butanediol, urethane elastomer from, microphase separation in, 739
Butyl acrylate, grafted on casein, 1799(N)
—, normal, composites from leather and, 2755
—, normal, polymerization of, in cattlehide, 2755
n-Butyl acrylate, grafting of, on leather, redox initiated, 2621

Calendering of Bingham plastic fluids, 967(N)
ε-Caprolactam, hydrolytic polymerization of, kinetics and thermodynamic constants for, 77
—, hydrolytic polymerization of, MWD in, 1789(N)
Carbohydrates, hydrolysis of, catalysis by poly(vinyl alcohol-co-styrenesulfonic acid) of, 2935
Carbon black, effect on processability of rubber stocks, 127
Carbon black-PE switching materials, effect of crosslinking on, 1515(N)
Carbon fiber, high modulus, Al-epoxy adhesive joints reinforced by, 1179
—, in thermosetting resins, composites of, tensile properties of, 2647(N)
o-Carboxymaleanilic polyester resins, structure and properties of, 51
Carboxymethyl cellulose, UV-irradiated ozonation of, 997
Carman–Kozeny equation, 2167
Casein–g–poly(butyl acrylate), synthesis of, 1799(N)
Castings, thermoset, cure and stress gradients in, effect of temperature on, 381
Cast polymers, solvent-, surface characteristics of, 1961
Catalysts, coordination, for preparation of HDPE, 2045
—, polymerization, polymer supports for, prepared by grafting, 349
—, for urea formation in isocyanate-amine reactions, 2749
—, for urea formation reactions, 2739
Catalytic activity of carboxylic acids in polyureaurethane formation, 2749
Catalytic effect of hydrogen chloride on the degradation of poly(vinyl chloride), 2331
Cation exchange membranes, decomposition of, microporous membranes prepared by, 2273
—, prepared by paste method, microstructure of, 2925
Cation exchange resin, from N-vinylcarbazole, phthalic anhydride-based, 511
Cationic polymerization of α-methyl styrene from polydienes, 1335
Cattlehide, chrome-tanned, polymerization of acrylates in, 2755
Cell, permeation, Pasternak type, 1755
Cellulose, carbonylated, cellulose peroxides from, 683
—, chemically modified, dyeing of, 457
—, cotton, γ-irradiated, IR spectra of, 427
—, cyanoethylated and/or acetylated, dyeing of, 2235
—, dyeing of, in aqueous sodium alginate solution, 2159
—, graft copolymerization of styrene on, 2721
—, graft polymerization of MMA on, V(V) initiated, 1323
—, microwave degradation of, 1839
—, native, acetylation of, by TFAA, rapid, 2567
—, native, fibrillar size in, 2105
—, nonderivatized, GPC of, 263
—, phosphorylation of, effect of starting polymer reactivity on product, 519
—, pyrolysis of, in presence of organophosphorous compounds, 243
—, reaction with methyl vinyl ketone, 683
Cellulose acetate, alloy membranes from poly(4-vinyl pyridine) and, 1969
—, membranes, solute–membrane interactions, effect on transport across, 323
Cellulose acetate p-nitrobenzoate, grafting of styrene on, by chain transfer reaction, 1833
Cellulose bearing aromatic amino, nitro, and acrylamidomethyl groups, dyeability of, 457
Cellulose carbamate, grafting of 1,1-dihydroperfluoroheptyl acrylate onto, 223
Cellulose diacetate membranes, 1883
Cellulose enzyme, dissolution of jute by, 2129(N)
Cellulose esters, aminolysis of, 1533
Cellulose-fiber-reinforced polystyrene melts, rheological properties of, 1217
Cellulose fibers, acrylic acid grafted on, 535
—, increased water sorbency of, by radiation grafting, 535
—, methacrylic acid grafted on, 535
—, sorption-penetration of, 2229
Cellulose gels, swelling of, effect of pH and neutral salts on, 2829
Cellulose nitrate, plastically deformed, optical relation in, 1807(N)
Cellulose peroxides, derived from carbonylated cellulose and hydrogen peroxide, 683
—, grafting of MMA onto cellulose via, 683
Cellulox triacetate film bases, coating of gelatin on, via microwave plasma, 711(N)
Ceric ion-initiated graft copolymerization of vinyl monomers, 235
Chain extenders influence of, on urethane elastomer crosslinks, 2531
Chain scission, of polystyrene, at low temperature in air, 1017
Chain transfer reaction, 1365
—, grafting of styrene on cellulose acetate p-nitrobenzoate by, 1833
Charge—transfer complexes, between amino groups of chitosan and iodine molecules, 731
Chemical heterogeneity of random copolymers, comparison of the instantaneous and conversion, 407
Chemical stability, of hydrolyzed polyacrylamides, effect of temperature on, 627
Chitin, adsorption of iodine on, 731
—, interaction of, with Pb and Cr, 1587
Chitosan, adsorption of iodine on, 731
—, interaction of, with Pb and Cr, 1587
Chloride ion, transport membrane for, 1419
Chlorinated poly(vinylidene fluoride), 1523

Chloromethylation, of flexible networks of polystyrene, structural transformations during, 2241
—, of TAT crosslinked PS, 2241
Chromated surfaces and fractured joint surfaces, characterization of, 2479
Chromate treated ethylene–acrylic acid bonded Pb/Sn joints, environmental stability of, 2479
Chromate treated ethylene–acrylic acid copolymer, Pb/Sn alloy joints bonded by, failure of, in H_2O, 2731
Chromate treatments, effects of, on environmental stability of lead/tin alloy joints, 2731
Chromatography, exclusion, characterization of long-chain branching in PVOAc by, 951(N)
—, size exclusion, 119(N)
Chromium, interaction of, with chitin and chitosan, 1587
Chromium trioxide/guajacyl group complexes, in waterproofing wood and crosslinking lignin, 2547
Closed-cell thermoplastic foams, HD, relation between modulus and density for, 809
Cocrystallization and polymer miscibility, 139
Comparative study for various methods for thermogravimetric analysis of polystyrene degradation, 2869
Composite material, Fe_2O_3-impregnated poly(tetrafluoroethylene), 1427
Composites, of carbon fibers in thermosetting polymers, tensile properties of, 2647(N)
—, copper–PVC, electrical conductivity of, effect of temperature on, 111
—, polymer/glass fiber, tensile strength of, effect of fiber length on, 795
—, polymer–leather, 2755
—, of polystyrene, with layered perovskites, characterization of, 2857
—, PVC–Cu, electrical conductivity of, effect of temperature on, 111
—, for thermal-energy storage systems, 2857
Compositional determination of 2,6-dimethyl-1,4-phenylene oxide and styrene homopolymer blends, 1145
Compression molding, 821
Condensation polymerizations in ideal continuous-flow-stirred tank reactors, 1049
Conductance measurements, on polyelectrolyte complexes, 1645
Conductivity, electrical, of PVC–Cu composites, effect of temperature on, 111
Conformational changes, in Tussah silk fibroin, 1813(E)
Contact angle measurement, 1253(N)
Continuous and intermittent stress relaxation of rubber vulcanizates, simultaneous measurement of, 2427(N)
Continuous-flow stirred reactors, branching by copolymerization of mono- and divinyl monomers in, 59
Controlled-porosity glass, GPC using, 2363
Coordination catalysts, for preparation of HDPE, 2045
Copolyamides, random, as rigid backbone polymers, 2891
Copolyester-ether additives, effects of, on melt rheology of polyoxymethylene, 2221
Copolyester studies, 855, 869
Copolymers, block of styrene—hexamethyl cyclotrisiloxane, 2501
—, graft, of styrene on PVC, synthesis and characterization of, 1079
—, graft, of styrene on PVC, thermal properties of, 1087
—, MMA–methacrylic acid, rare earth metal salts of, 359
—, random, chemical heterogeneity of, 407
—, styrene or 1-vinylnaphthalene with acrylic acid, rare earth metal salts of, 359
—, 1-vinylanthracene–styrene–acrylic acid, rare earth metal salts of, 359
—, 1-vinylnapthalene–acrylic acid, rare earth metal salts of, 359
Copper–PVC composites, electrical conductivity of, effect of temperature on, 111
Corona charging, of electrets, 1639
Cotton, blends with jute, quantitative analysis of, using x-ray diffraction, 1825
—, fibers, mechanical properties of, effects of dyes and dyeing on, 1071
—, grafted with P- and Br- containing flame-retardants, 691
—, photoinitiated graft polymerization of glycidyl methacrylate on, without subsequent crosslinking, 933
—, textiles, x-ray diffraction data from, digital comparison of, 1469
—, wrinkle resistant, 933
Cotton cellulose, γ-irradiated, IR spectra of, 427
Cotton fibers, decrystallized and crosslinked differently, comparison of, 2951
—, decrystallized, dyeing of, 2235
—, natural, spirality of crystallites of, 2523
—, sorption-penetration of, 2229
Crack propagation, viscoelastic, dynamic stress intensity factors during, 2789
Creep fracture of polypropylene fibers, effect of temperature on, 1861
Creosote bush phenolic resin, condensation product with HCHO, adhesives from, 2115(N)
Critical surface tension measurements, 1961
Crosslink density and solvent swelling of filled and unfilled stocks, 665, 1519(E)
Crosslinked cotton fibers, comparison of various, 2951
Crosslinked polymers useful as polymeric supports, procedure for synthesis of, 2559
Crosslinking, effect of, on carbon black/polyethylene switching materials, 1515(N)
—, effect of, on glass transition of poly(acrylic acid), 1785(N)
—, of liquid rubbers with anhydride and bisepoxide, 2339
—, of partially neutralized carboxyl-terminated liquid rubbers with bisepoxide and anhydride, 1915
Crosslinks, in urethane elastomers, influence of NCO:OH relation and chain extenders on, 2531
Crystalline complex chlorides containing transition metal chlorides or oxychlorides as components of coordination catalysts, 2045
Crystallinity in silk fibers, 921
Crystallites, of natural cotton fibers, spirality of, 2523
Crystallization, of nylon 6 containing copper chloride, 1137
Crystallization front, and diffusion front, separation of, in swelling of bisphenol-A polycarbonate, 2653
Crystallization rate, of polycaprolactam anionically synthesized in presence of LiCl, 2001
Cure and stress gradients, in thermoset castings, effect of temperature on, 381
—, in thick thermoset castings, effect of temperature gradients on, 381
Curve-fitting, least squares, for constants of hydrolytic polymerization of ε-caprolactam, 77
Cyanoethylated celluloses, dyeing of, 2235
Cyclic structures, polyurethane foams containing, flammability and thermal properties of, 2659

Darcian permeability, 2167
Decrystallized cotton fibers, comparison of various, 2951
—, dyeing of, 2235
Deformable dielectrics, electro-optical phenomena of, 1807(N)
Degradation, fungal, of poly(arylene keto esters), 1951
—, microwave, of cellulose, 1839
—, photolytic, of poly(arylene keto esters), 1951
—, of polyethylene, microbial and oxidative effects in, 1655
—, of polystyrene degradation, TGA of, comparison of methods for, 2869
—, of PVC, catalytic effect of HCl on, 2331
—, shear, of PVAc, 173
—, thermal, of PET, role of flame-retardant chemicals in, 2943

—, thermal, of polystyrene, 1017
—, thermal, of polyurethanes, model compounds, 2969
Demolding time, 2739
Density, of anionically synthesized polycaprolactam, 2001
—, relation between modules and, for high-density closed-cell thermoplastic foams, 809
Dextrin, hydrolysis of, catalyzed by poly(vinyl alcohol-*co*-styrenesulfonic acid), 2935
Dichloroacetic acid, with ferric acetylacetonate, graft polymerization initiated by, 1991
3,3′-Dichloro-4,4′-diaminodiphenylmethane, urethane elastomer from, microphase separation in, 739
Dielectric measurements, 1673
Dielectric properties, of polyelectrolyte complexes, sorbed water effect on, 1723
Diels–Alder adducts as epoxy resin hardeners, 1
Die swell through converging slits, 1509(N)
Diethyl aluminum chloride-Ni(II) stearate catalyst, in polymerization of butadiene, 2373
Diethylamine, mixture with DMSO and SO_2, as solvent for graft copolymerization of styrene on cellulose, 2721, 2909
Diethylene glycol content, influence of, on behavior of poly(ethylene terephthalate) fibers, 1195
Diffraction, electron, studies of Indian silk by, 635
Diffusion, organic solvents, in glassy polymers, 717
—, in polymer–solvent systems, effect of solvent size on, 1793(N)
Diffusion and crystallization fronts on swelling a bisphenol-A polycarbonate, separation of, 2653
Diffusion coefficient, estimation from sorptive experiments in the infinite bath, 2429(N)
—, estimation of, for trace amounts of solvents in glassy and molten polymers, 1297
—, from the radial distribution curves, 2845
Diffusion coefficients, of O_2 through polymers, effect of humidity and film thickness on, 879
Diffusion of dyes in polyester fibers, 2845
4,4′-Difluorodiphenyl sulfone, poly(arylene ether sulfones) from, 821
Digital comparison of x-ray diffraction data from cotton textiles, 1469
1,1-Dihydroperfluoroheptyl acrylate, grafting of, onto cellulose carbamate, 223
2,4′-Dihydroxydiphenyl sulfone, poly(arylene ether sulfones) from, 821
β-Diketone ligands, Eu(III)–polymer complexes containing, 2007
Dimensional changes of partially oriented polyester yarns subjected to dry and wet heat, 977
4,4′-Diphenylmethane diisocyane, urethane elastomer from, microphase separation in, 739
4,4-Diphenylmethane diisocyante, wood adhesives by crosslinking of polyflavonoid tannin B rings by, 2123(N)
Dispersions, flocculation of, alternative interpretation, 1781(N)
Divinylbenzene, copolymers with styrene, modified PE by, sulfonated, 947(N)
Divinyl monomers, copolymerization with monovinyl monomers, branching by, in continuous-flow stirred reactors, 59
DMSO, mixture with diethylamine and SO_2 as solvent for graft copolymerization of styrene on cellulose, 2721, 2909
Drawing behavior, of poly(ethylene terephthalate), 1381
—, of poly(methyl methacrylate), free monomer on, 1373
Dry jet-wet spinning, of poly(1,4-phenylene-1,3,4-oxadiazole) fibers, 315
DSC, 139, 149, 243, 821, 855, 1373, 1381, 1491(N), 1559, 1785(N)
DSC analyses, of anionically synthesized polycaprolactam, 2001
DSC thermograms, of polyurethane elastomers, 2467
DTA, 519
—, of Eu(III)–polymer complexes containing β-diketone ligand, 2007
Dyeing, of cellulose by direct dye in aqueous sodium alginate solution, 2159
—, of chemically modified cellulose, 457
—, of cotton fibers decrystallized by alkali swelling and partial substitution, 2235
Dyes, diffusion of in polyester fibers, 2845
Dyes and dyeing, effect of, on the mechanical properties of polymeric materials, 1071
Dynamic compression mechanical properties of fiber masses with a Rheovibron viscoelastometer, 529
Dynamic mechanical analysis, 855
Dynamic stress intensity factors during viscoelastic crack propagation at various strain rates, 2789

Effect of nitrogen-donor ligands on the stability of the photolysis products of $Mn_2(CO)_{10}$, 395
Elasticity, melt, of polymer blends, 653
Elastomer, thermoplastic, SBS type, stress relaxation of, 2119(N)
Elastomer layers, bonding of, by surface oxidation, 163
Electrets, poly(*p*-xylylene), 1639
Electrical conductivity, in insulating polymeric materials, 1515(N)
Electric field, constant, effect on nonlinear regions of molten polymers, 555
Electron beam irradiation, of halogenated PE, 1131
Electron diffraction studies on Indian silk, 635
Electron microscopy, 1179
—, study of cellulose fibrillar size by, 2105
Electron spectroscopy for chemical analysis (ESCA), 1587
Electro-optical relation of plastically deforming polymer solids, 1807(N)
Elemental analysis, 2187
Elementary analysis, of thioetherglycidyl resins, 2393
Emulsion polymerization, continuous-flow, 565
—, propagation rate constants from, 2993(N)
Emulsion polymerization kinetics and reactor design, 565
End group analysis, 855
Energy dispersive analysis of x rays (EDAX), 1587
Energy-entropy-volume equation for liquids, 2305
Enthalpies of reaction, hydrogen bond, model for estimating, 2975
Environmental and thermal oxidation of poly(vinyl chloride) and impact-modified poly(vinyl chloride), 2133(N)
Enzymatic digestion of starch-containing polymers, 2285
Enzyme dissolution technique for studying the fine structure of jute fiber at different stages of growth, 2129(N)
Epichlorohydrin, condensation with mercaptomethylnaphthalenes, thioetherglycidyl resins from, 2393
Epoxy, composites with glass fiber, tensile strength of, effect of fiber length on, 795
Epoxy-aluminum adhesive joints, morphology and fracture properties of, 1179
Epoxy-carbon fiber composites, tensile properties of, 2647(N)
Epoxy resin, Diels–Alder adducts as hardeners for, 1
—, fracture toughness of, 1815
—, hardeners for, Diels–Alder adducts as, 1
—, iron oxide suspensions in, rheological properties of, 2961
—, relaxation in, low temperature, 1355
Equal reactivity hypothesis, in condensation polymerization, violation of, 1049
Errata, 1261, 1519, 1813, 2143
ESCA, 2479
—, analysis of fractured surfaces by, 2731
ESR, 1209
ESR study of photodegradation of model compound for polypropylene, 1095
Ethylene, polymerization of, initiated by milled alumina powder, 1209
—, radiation-induced polymerization of, 277, 1633
Ethylene-acrylic acid copolymer, Pb/Sn alloy joints bonded by, chromate treated, environmental stability of, 2479
—, Pb/Sn alloy joints bonded by, chromate treated failure of, in H_2O, 2731

Ethylene adipate, oligomer of, urethanes from, 2531
Ethylene diphenylcarbamate, thermal degradation of, as model compound for polyurethanes, 2969
Ethylene–propylene block copolymers, x-ray diffraction studies of, 2589
Ethylene–propylene copolymer, Br and/or P containing monomer flame-retardant modification of, 2711
Europium(III) chelates of dibenzoylmethane, and β-diketone-containing polymers, 2007
Europium(III)–polymer complexes containing β-diketone ligands, 2007
Exclusion chromatography, characterization of long-chain branching in PVOAc by, 951(N)
Extensional viscosity, of rubbers, 127
Extrusion, die swell in, 1509(N)
—, effect of carbon black on, 127
—, tubular film, of atactic polystyrene, 2777

Fatigue lifetime and fatigue mechanism in plasticized PVC, 597
Fatigue mechanism, in plasticized PVC, 597
Ferric acetylacetonate, with Cl_2CHCO_2H, graft polymerization initiated by, 1991
Ferric chloride, effect of, on photodegradation of PP model compound, 1095
Fiber masses, properties of, 529
Fiber morphologies, high-performance, 1931
Fibrillar size in native cellulose, 2105
Filaments, twisted, mechanical properties of, 2681
Filled polymers, viscoelastic properties of, 1029
Filled stocks, crosslink density and solvent swelling of, 1519(E)
Filler, effect of, on bitumen–silica composites, 1867
—, "thermally active", 2857
Film extrusion, tubular, of atactic polystyrene, 2777
Films, polymeric, adhesive bonding of, improvement of, by acetylene glow discharge, 771
Fire retardants, Br containing, 1491(N)
—, Br containing aromatic, energetics of, from luminescence properties, 2439(N)
Fire-retarding polypropylene with magnesium hydroxide, 415
Flame-resistant cotton textiles by a continuous photocuring process, 2295
Flame retardance, of textile fabrics, influence of moisture on, 1311
Flame retardance of polypropylene and impact polystyrene, 2195
Flame-retardant chemicals, role of, in thermal degradation of poly(ethylene terephthalate), 2943
Flame-retardant modification of ethylene–propylene copolymer with monomers containing Br and/or P, 2711
Flame-retardant polymers, carbon fiber in thermosetting polymers composites as, 2647(N)
Flame-retardant properties of insulated wires, improvement of, by radiation crosslinking, 1541
Flame-retardants, for cotton, grafted, 691
Flammability and thermal properties of rigid polyurethane foams with additionally introduced cyclic structures, 2659
Flocculation of dispersions by preferential adsorption of solvents from polymer solution, alternative interpretation of, 1781(N)
Flow-stirred tank reactors, continuous-, in polymerization, 1049
Fluid–gas mixture, apparent viscosity of, 1695
Fluids, plastic, Bingham, calendering of, 967(N)
Fluorescence properties of Eu^{3+}–polymer complexes containing β-diketone ligand, 2007
Fluorescent properties of ionomers containing Dy^{3+}, Er^{3+}, Eu^{3+}, and Sm^{3+}, 359
Fluoroethylene–propylene copolymer, permeation of hydrocarbon gases in, 1755
Fluoropolymer film, deposited by solution dipping, thickness and spatial distribution of, 211
Foams, polyurethane, open-cell, absorption of benzene by, 829
—, thermoplastic, closed-cell, HD, relation between modulus and density for, 809
Formaldehyde, reaction with urea, 2597

Fracture, creep, of PP fibers, effect of temperature on, 1861
Fracture properties, of aluminum-epoxy adhesive joints, 1179
Fracture surface micrography, 821
Fracture toughness of glassy polymers, laboratory techniques for evaluating, 1815
Free-volume theory of diffusion, 1793(N)
Free-volume theory of transport, 1297
FTIR, 1505(N)
Functionalized crosslinked polymers, useful as polymeric supports, 2559
Functional moiety IR absorptivity of, dependence of, on homopolymer molecular weight, 2265
Functional monomers and polymers, 731
Fungal degradation, of poly(arylene keto esters), 1951

Gas chromatography, 499, 1943
—, inverse, 1961
Gas–fluid mixture, apparent viscosity of, 1695
Gas permeability, in blown PE films, effect of postdrawing on, 15
Gas transport, in polycarbonate, effect of sub-T_g annealing on, 971(N)
GC, of pyrolysis products of model compounds for polyurethanes, 2969
Gelatin, coating on polyester and cellulose triacetate film bases via microwave plasma, 711(N)
Gel permeation chromatography, 1655
—, using controlled-porosity glass, 2363
Gels, cellulose, swelling of, effect of pH and neutral salts on, 2829
Glass, controlled-porosity, GPC using, 2363
Glass fiber, composites with epoxy or polyester, tensile strength of, effect of fiber length on, 795
Glass-fiber-reinforced polystyrene melts, rheological properties of, 1217
Glass microspheres, hollow, Al-epoxy adhesive joints reinforced by, 1179
Glass transition, of poly(acrylic acid), influence of crosslinking on, 1785(N)
—, in Tussah silk fibroin, 1813(E)
Glass transition temperature, behavior near, 575
Glassy polyacrylonitrile, equilibrium water sorption in, 2179
Glassy polymers, diffusion coefficients in, of trace amounts of solvents, 1297
—, fracture toughness of, techniques for evaluating, 1815
Glassy state, oriented, behavior near, 575
Glow discharge, acetylene, improvement of adhesive bonding of polymeric films by, 771
—, initiation of *in situ* polymerization of vinyl monomers in polyesters by, 89
Glycidyl methacrylate, photoinitiated graft polymerization of, on cotton, without subsequent crosslinking, 933
GPC, 173, 449, 499, 589, 901, 1245(N), 1633, 1789(N)
—, aqueous, of nonderivatized cellulose, 263
—, of styrene—hexamethyl cyclotrisiloxane block copolymers, 2501
GPC analysis of solid-state hydrolyzed bisphenol-A polycarbonate, 2573
GPC methods for estimation of Mark–Houwink–Sakurada contstants, evaluation of, 2985
Graft copolymerization, of acrylonitrile onto a soluble wool keratin derivative, 783
—, homogeneous, of styrene onto cellulose in SO_2-DEA–DMSO solvent, 2721, 2909
—, of lignosulfonate and acrylic monomers, 2211
—, of methyl methacrylate onto cellulose using quinquevalent vanadium ion, 1323
—, of methyl methacrylate onto silk using tetravalent manganese–oxalic acid redox system, 1479
—, of methyl methacrylate onto wool using peroxydiphosphate as initiator, 63, 1323, 1479
—, photolytic, 2431(N)
—, on poly(vinyl chloride), of styrene, 1079, 1087
—, of styrene onto cellulose acetate *p*-nitrobenzoate by chain transfer reaction, 1833

—, of vinyl monomers onto modified cottons, 223
Grafting, plasma-induced, of MMA on PE, 349
—, radiation-induced, of allyl monomers on PE, PP and PVC, 349
—, radiation-induced, on PE, for adhesive bonding, 25, 41
—, radiation, on cellulose fibers, increased water sorbency by, 535
Grafting acrylic acid onto starch and poly(vinyl alcohol) by photolysis, 2431(N)
Grafting onto wool, 235
Grafting vinyl monomers, onto cellulose, 1323
—, onto silk fibers, 1479
—, onto wool fibers, 63
Graft polymerization, of butyl acrylate on casein, 1799(N)
—, H_2O_2 initiated, on modified cottons, 223
—, radiation-initiated, of acrylates and methacrylates on starch, 2285
Graft polymerization of methyl methacrylate onto wool, initiated by ferric acetylacetonate/dichloracetic acid system, 1991
Guajacyl group/chromium trioxide complexes, in waterproofing wood and crosslinking lignin, 2547
Guar, molecular size distribution of, 2815
Guar solutions, rheology of, 2815

Halogenated polyethylenes, as electron-sensitive resists, 1131
Hardeners for epoxy resin, Diels–Alder adducts as, 1
HDPE, die swell in extrusion of, 1509(N)
Heat, effect of, on nylon 6,6, 1745
—, effect of, on polyester fabrics, 1737
1,4-Hexadiene, copolymers with PP and PE, blends of, with LDPE, 139
Hexahydro-1,3,5-triacryloyl-S-triazine, PS crosslinked by, chloromethylation of, 2241
Hexamethyl cyclotrisiloxane block copolymers from, with styrene, 2501
Hexamethyldisilazane, plasma-polymerized, wettability studies of, 2435(N)
High-performance fiber morphologies, 1931
High-performance liquid chromatography, 1943
Humidity, effect on UV-cured polymers, 543
—, relative, effect of on mechanical properties of poly(1,4-butylene terephthalate), 2353
Hydraulic permeability of open-cell hydrophilic polyurethane foams, 2167
Hydrocarbon gases, permeation of, in PTFE and poly(fluoroethylene–propylene) copolymer, 1755
Hydrofuramide, effect of, on thiuram vulcanization, 1263
Hydrogen bond enthalpies of reaction, a two-parameter model for estimating, 2975
Hydrogen bonding in nitrocellulose, 1245(N)
Hydrogen chloride, catalytic effect of, on degradation of PVC, 2331
Hydrogenolysis, of PE, under steam pressure, 747
Hydrogen peroxide initiation, of graft polymerization, on modified cottons, 223
Hydrolysis, autocatalyzed, of aspen milled wood lignin, 2187
—, auto-, of aspen wood lignin, 589
—, of bisphenol-A polycarbonate, solid-state, 2573
—, of carbohydrates, hydrolysis of, catalysis by poly(vinyl alcohol-*co*-styrenesulfonic acid) of, 2935
Hydrolytic polymerization, of ϵ-caprolactam, kinetics and thermodynamic constants for, 77
—, of ϵ-caprolactam, 1789(N)
Hydrophilic behavior of HSPAN/PVA membrane, 1287
Hydrophilic polyurethane foams, open-cell, hydraulic permeability of, 2167
N-Hydroxyethyl amide group, membranes containing, 1419
Hyperfiltration, 323

Impact-modified PVC, oxidation of, 2133(N)
Impact response, of polyurethane–polyether block copolymers, effect of moisture on, 615
Infrared absorptivity, of functional moiety, dependence of, on homopolymer molecular weight, 2265
Infrared spectra of γ-irradiated cotton cellulose, 427
Infrared spectroscopic investigations of monomeric and polymeric *N,N'*-diaryl ureas, 2879
Insulated wires, flame-retardant properties improved by radiation crosslinking, 1541
Internal reflection spectroscopy, 1619
Interpenetrating polymer network, of a poly(vinyl isobutyl ether)–poly(ethyl acrylate), 959(N)
Intrinsic viscosity, and molecular weight, relation between, 1435
—, and moleculer weight, Mark–Houwink–Sakurada constants from, 2985
Inverse gas chromatography, 1961
Iodine, adsorption of, on chitosan, 731
Ionenes, polyelectrolytes from, 1645
Ion exchange membranes, cation, prepared by paste method, microstructure of, 2925
—, decomposition of, microporous membranes prepared by, 2273
—, from sulfonated PE (styrene-*co*-DVB), 947(N)
Ion exchange resin, cation, from *N*-vinylcarbazole, phthalic anhydride-based, 511
Ion microanalyzer, 2479
Ionomers, rare earth metal containing, fluorescent properties of, 359
IPN, interpenetrating polymer networks, 469
—, See also interpenetrating polymer networks,
IR analysis, of casein–*g*–butyl acrylate, 1799(N)
—, of polyimide crosslinking, 1059
—, of solid-state hydrolyzed bisphenol-A polycarbonate, 2573
—, study of microporous membranes by, 2273
—, of thioetherglycidyl resins, 2393
Iron oxide particle suspensions, in plastics, rheology of, 2961
Iron oxide-PTFE, new composite material comprising, 1427
γ-Irradiated cotton cellulose, effect of crystalline structure on the infrared spectra of, 427
Irradiation, electron beam, of halogenated PE, 1131
IR spectra, of Eu(III)–polymer complexes containing β-diketone ligand, 2007
—, of styrene—hexamethyl cyclotrisiloxane block copolymers, 2501
—, thermally degraded polystyrene, 1017
IR spectrometry, in compositional analysis of PS blends with PPO, 1145
IR spectroscopy, 51, 761, 783, 821, 2187
—, crystallinity of silk fibers determined from, 921
Isocyanate-amine reactions, carboxylic acids as catalysts for, 2749
Izod impact tests, 1815

Jute, blends with cotton, quantitative analysis of, using x-ray diffraction, 1825
—, fine structure of, studied by enzyme dissolution technique, 2129(N)

Keratin, graft copolymers with acrylonitrile, membranes from, 783
Kinetics of hydrolytic polymerization of ϵ-caprolactam, 77

Laminate slabs, sorption kinetics, 1157
Laminating wood adhesives by generation of resorcinol from tannin extracts, 1039
Larrea tridenta, phenolic resin from, condensation product with HCHO, adhesives from, 2115(N)
Latices, stable, monodisperse, 2407
Lead, interaction of, with chitin and chitosan, 1587
Lead/tin alloy joints, ethylene-acrylic acid copolymer bonded, environmental stability of, 2479
Least-squares curve fitting, for constants of hydrolytic polymerization of ϵ-caprolactam, 77
Leather, composites from polymers and, 2755
—, deposition of acrylate and methacrylate polymers in, redox initiated, 2621

—, grafting of acrylic monomers on, redox initiated, 2621
Light scattering, 901
—, characterization of nylon 6/methyl acrylate graft copolymer by, 2513
—, laser, low-angle, 119(N)
Lignin, effect of, on network structure and properties of natural rubber mixes, vulcanized, 1249(N)
—, wood, aspen milled, autohydrolysis of, 2187
Lignin crosslinking and wood waterproofing, Cr_2O_3/guajacyl group complexes in, 2547
Lignosulfonate, graft polymerization of acrylic monomers with, 2211
Liquid chromatographic analysis, 1059
Liquid crystallinity, lyotropic, in copolyamides, 2891
Liquid crystal polymers, 1685
Liquid rubbers, carboxyl-terminated, crosslinking of, 1915
—, partially neutralized, crosslinking of, 2339
Lithium chloride, polycaprolactam anionically synthesized in presence of, 2001
Long-chain branching, in poly(vinyl acetate), characterization of, by sedimentation velocity and exclusion chromatography, 951(N)
Low-angle laser light scattering, 119(N)
Luminescence properties, energetics of Br containing aromatic fire retardants from, 2439(N)
Lyotropic liquid crystallinity, 2891

Magnesium hydroxide, fire-retardant for PP, 415
Mark–Houwink constants, 499
Mark–Houwink relation, for poly(vinyl acetate) in toluene, 173
Mark–Houwink–Sakurada constants, GPC methods for determination of, 2985
Mass spectrometry, 1943
Maxwell viscoelastic model, 1341
Measurement of, 2427(N)
Mechanical properties, of polymeric materials, effects of dyes and dyeing on, 1071
—, of tetramethylene terephthalate-poly(tetramethylene oxide) copolymers, 869
—, of twisted filaments, 2681
Mechanic properties, of polyelectrolyte complexes, sorbed water effect on, 1723
Melt elasticity of polymer blends: polystyrene/poly(methyl methacrylate), 653
Melting and crystallization of nylon 6 containing copper chloride, 1137
Melting temperature, of polycaprolactam anionically synthesized in presence of LiCl, 2001
Melt rheology, of polyoxymethylene, effect of copolyether-ester additives on, 2221
Melt spinning, of high-impact polystyrene, 1573
—, optimization in, for nylon 6, 1165
—, of tetramethylene terephthalate-poly(tetramethylene oxide) copolymers, 869
Membrane, cation exchange, prepared by paste method, microstructure of, 2925
—, cellulose acetate, solute–membrane interactions, effect on transport across, 323
—, of cellulose diacetate, 1883
—, composed of laminate slabs, sorption kinetics in, 1157
—, containing pendant *N*-hydroxyethyl amide group, 1419
—, filtration, polysulfone, ultrastructure of surface of, 2139(N)
—, from HSPAN/PVA, 1287
—, ion exchange, decomposition of, microporous membranes prepared by, 2273
—, from keratin–polyacrylonitrile graft copolymers, 783
—, microporous, prepared by phase separation during polymerization, 2273
—, polymer alloy, from cellulose acetate and poly(4-vinyl pyridine), 1969
Membrane osmometry, 901
Mercaptomethylnaphthalenes, mono- and di-, with epichlorohydrin, thioetherglycidyl resins from, 2393
Metal soaps, and polyols, in stabilization of PVC, 2143(E)
—, in stabilization of PVC, 887
Methacrylates, alkyl, polymerization of, with starch, 2285
Methacrylic acid, copolymer with MMA, rare earth metal salts of, 359
—, grafting on cellulose fibers, increased water sorbency by, 535
2-Methacryloxyethoxytrimethyl silane, copolymers with acrylonitrile, structure and properties of, 1673
2-Methacryloxypropoxytrimethyl silane, copolymers with acrylonitrile, structure and properties of, 1673
Methanol, mass flux of, in poly(methyl methacrylate), 717
Methyl acetate, hydrolysis of, catalyzed by poly(vinyl alcohol-*co*-styrenesulfonic acid), 2935
Methyl acrylate, grafting copolymer with nylon 6, 2513
2-Methyl benzoic acid, catalyst for urea formation reaction, 2739
Methyl methacrylate, composites from leather and, 2755
—, grafting of, on leather, redox initiated, 2621
—, grafting of, onto wool, 235
—, grafting of, onto wool fibers, 63
—, grafting on PE, plasma-induced, 349
—, grafting on silk, Mn(IV)–oxalic acid initiated, 1479
—, grafting onto cellulose, via cellulose peroxides, 683
—, grafting on wool, ferric acetylacetonate/Cl_2CHCO_2H system initiated, 1991
—, grafting on wool, radiation-induced, 487
—, graft polymerization of lignosulfonate with, 2211
—, graft polymerization of, on cellulose, V(V) initiated, 1323
—, γ-irradiation-induced polymerization of, 449
—, polymerization of, in cattlehide, 2755
N-Methylolacrylamide, graft copolymerization of, on cotton textiles, 2295
α-Methyl styrene, cationic polymerization of, from polydienes, 1335
—, diblock copolymers with butadiene, 1715
Methyl vinyl ketone, reaction with cellulose, 683
Microbial and oxidative effects in degradation of polyethylene, 1655
Microphase separation and properties of urethane elastomers, 739
Microporous membranes prepared by applying phase separation during polymerization, 2273
Microscopic examination, microstructure of cation exchange membranes studied by, 2925
Microstructure of cation exchange membranes prepared by the paste method, 2925
Microwave degradation, of cellulose, 1839
—, of polymers, 1839
Microwave plasma process for gelatin coating on polyester and cellulose triacetate film bases, 711(N)
Miscibility, polymer and cocrystallization, 139
Mn(IV)–oxalic acid redox system, graft polymerization initiated by, 1479
Modification, continuous, of polyethylene with styrene and divinylbenzene in melt, 947(N)
Modulus, relation between density and, for high-density closed-cell thermoplastic foams, 809
Moisture, effect on the high-speed impact, 615
Moisture-cured polyurethane based on polyester and polycarbonate polyols, 2699
Molar volume, 369
Molecular polarizability, 369
Molecular size distribution profiles, of hydrated guar, 2815
Molecular weight, of homopolymer, dependence of functional moiety IR absorptivity on, 2265
—, and intrinsic viscosity, Mark–Houwink–Sakurada constants from, 2985
—, and intrinsic viscosity, relation between, 1435
—, mean, of polyethylene glycols, 499

Molecular weight distribution, 449
—, effect of, on melt spinning and extrudate swell characteristics of PP, 287
—, in hydrolytic polymerization of ε-caprolactam, 1789(N)
—, of polyethylene, radiation polymerized, 1633
Molten polymers, diffusion coefficients in, of trace amounts of solvents, 1297
—, electric field effect on nonlinear region of, 555
—, shear stress effect on nonlinear region of, 555
Monodisperse stable latices, 2407
Mooney equation, 2961
Morphology, of blends of PE and PP, 1703
—, fiber, high-performance, 1931
—, in PVC plastisols, 2019
Morphology and fracture properties of pure and reinforced aluminum-epoxy adhesive joints, 1179
Morphology and properties of α-methylstyrene and butadiene diblock copolymers, 1715
Multicomponent monomer mixture, relationship for determination of time–conversion, 2555
Multilaminate slabs, symmetrical transient sorption in, 2807

Neutral salts, effect of, on swelling of cellulose gels, 2829
Neutron activation oxygen analyses, 1619
NH_3-modified swelling of silica-filled silicone rubber, 1261(E)
Nickel (II) stearate-diethyl aluminum chloride catalyst, in polymerization of butadiene, 2373
Nitrocellulose, hydrogen bonding in, 1245(N)
NMR, 855
—, broad line, of polyurethane elastomers, 2467
—, ^{13}C-, stereoregularity of PVC studied by, 2205
NMR analysis, of thioetherglycidyl resins, 2393
NMR spectra, of styrene—hexamethyl cyclotrisiloxane block copolymers, 2501
NMR spectroscopy, 51
N,N'-Diaryl ureas, IR investigations of, 2879
Nonionic surfactant and heat, effect of, on selected properties of nylon 6,6, 1745
—, effect of, on selected properties of polyester fabrics, 1737
Nonisothermal rheology, 575
Nonlinear viscoelasticity, of nylon fibers, 2063
Non-Newtonian behavior, 1341
Nucleopore filter membranes, 2815
Number-average molecular weights and second viral coefficients, of polyolefins, measurement with an improved osmometer, 1775
Nylon, fibers, dynamic compression properties of, 529
Nylon 6, containing copper chloride, melting and crystallization of, 1137
—, dynamic properties of, 2063
—, effect of photodegradation on dynamic mechanical properties of, 433
—, grafting copolymer with methyl acrylate, 2513
—, grafting of acrylic acid on, γ-radiation-induced, 2513
—, optimization in melt spinning of, 1165
—, prepared by hydrolytic polymerization, 1789(N)
Nylon 12, dynamic properties of, 2063
Nylon 66, dynamic properties of, 2063
—, effect of nonionic surfactants on properties of, 1745
Nylon 6/poly(methyl acrylate) copolymer produced by radiation grafting, characterization of, 2513

Oligo(ethylene adipate), urethanes from, 2531
Open-cell polyurethane foams, absorption of benzene by, 829
—, hydrophilic, hydraulic permeability of, 2167
Optical relation of plastically deforming polymer solids, 1807(N)
Organophosphorous compounds, pyrolysis of cellulose in presence of, 243
Orientation development in tubular film extrusion of polystyrene, 2777
Osmometer, vapor pressure, improved, 1775
Osmometry, membrane, 901
Oxalic acid–Mn(IV) redox system, graft polymerization initiated by, 1479
Oxidation, surface, bonding elastomer layers by, 163
Oxidative stability, thermo-, of natural rubber, 761
Oxygen, permeability through polymers, effect of humidity and film thickness on, 879
—, permeation of, through polyurethane–polyepoxide IPNs, 1105
Oxygen index, 1311
Ozonation, UV-irradiated, of water-soluble polymers, 997

Paper, physicomechanical properties, effect of addition of poly(styrene sulfonate) to cellulose fibers on, 841
Partial acid hydrolysis of silk fibers, 921
Particle size determination, 1427
Particle size distribution, in PVC plastisols, 2019
Particulate precipitation polymerization, 2559
Paste method, ion exchange membranes, cation, prepared by, microstructure of, 2925
Pasternak-type permeation cell, 1755
Pb/Sn joints bonded by ethylene–acrylic acid, chromate treated, failure of, in H_2O, 2731
PE, additives in, analytical study of, 1943
—, adhesive bonding of, improvement of, by acetylene glow discharge, 771
—, copolymers with PP and 1,4-hexadiene, blends of, with LDPE, 139
—, grafting of allyl monomers on, radiation-induced, 349
—, grafting of MMA and acrylic acid on, plasma-induced, 349
—, high density, new coordination catalysts for preparing, 2045
—, long chain branched, SEC and LALLS application in study of, 119(N)
—, low density, blends with PE/PP/1,4-hexadiene copolymers, 139
—, permeability of, to ammonia, 955(N)
PE-carbon black switching materials, effect of crosslinking on, 1515(N)
Peel strength, wet, improvement in, by radiation-induced surface modification, 25
Peel tests, T-, 2731
Penetration-sorption of cotton fibers measured by immersed weight, 2229
Perdeutero PVC, pyrolysis of, 101
Permeability, of gases in blown PE film, effect of postdrawing on, 15
—, hydraulic, of open-cell hydrophilic polyurethane foams, 2167
—, oxygen, 1391
—, of oxygen through polymers, 879
—, of polyethylene to ammonia, 955(N)
—, water, study of microporous membranes by, 2273
Permeation, of hydrocarbon gases in PTFE and poly(fluoroethylene–propylene) copolymer, 1755
—, of oxygen, through polyurethane–polyepoxide interpenetrating polymer networks, 1105
Permeation cell, Pasternak type, 1755
Permeation coefficients, of O_2 through polymers, effect of humidity and film thickness on, 879
Perovskites, layered polystyrene composites, 2857
Peroxides, cellulose, from carbonylated cellulose and H_2O_2, 683
Peroxydiphosphate, as initiator of grafting onto wool fibers, 63
pH, effect of, on swelling of cellulose gels, 2829
Phase behavior, in poly(alkylene oxide) solutions, 1559
Phase separation, in copolyamide solutions, 2891
—, during polymerization, microporous membranes prepared by, 2273
Phenol resins, iron oxide suspensions in, rheological properties of, 2961
Phenol-terminated polyisobutylene, 1365
Phosphonium bromide/ammonium polyphosphate system, in flame retardant polymers, 2195
Phosphorous, monomers containing Br and/or, flame-retardant modification of ethylene–propylene copolymer by, 2711

Phosphorylation of cellulose, effect of reactivity of the starting polymer on the properties of product, 519
Photoacoustic spectroscopy, 1427
Photochemical reactions of polyene sequences in degraded PVC, 2417
Photocuring process, continuous, flame-resistant cotton textiles by, 2295
Photodegradation, effect of, on dynamic mechanical properties of nylon 6, 433
—, of PP model compound, $FeCl_3$ effect on, 1095
Photoinitiated copolymerization of vinyl phosphonate oligomer and *N*-methylolacrylamide, 2295
Photoinitiated graft copolymerization, flame-resistant cotton textiles by, 2295
Photoinitiated reaction of glycidyl methacrylate with cotton followed by crosslinking reactions, 933
Photolysis and fungal degradation of poly(arylene keto esters), 1951
Photolysis of $Mn_2(CO)_{10}$, effect of nitrogen donor ligands on stability of products of, 395
Photolytic grafting of acrylic acid on starch and poly(vinyl alcohol), 2431(N)
Photomechanics, 1807(N)
Photoplasticity, 1807(N)
Photoresists, 1273
Photosensitive rubbers, synthesis and properties of, 1273
Photoviscoplasticity, 1807(N)
Phthalic anhydride-based cation exchange resin from *N*-vinylcarbazole, 511
Physicomechanical properties of paper, effect of addition of poly(styrene sulfonate) to cellulose fibers on, 841
Piezoelectric films, polymeric, rapid method for preparation of, 2445(N)
Plasma, microwave, coating gelatin on polyester and cellulose triacetate film bases via, 711(N)
Plasma polymerization, of acetylene, on polymeric films, 771
—, of hexamethyldisilazane, 2435(N)
Plasma-treated poly-*p*-xylylene films, surface characterization of, 1619
Plastisols of PVC, particle size distribution, morphology, rheology, and mechanism of aging, 2019
Polyacrylamide, aqueous, GPC characterization of, using controlled-porosity glass, 2363
—, hydrolyzed, effect of temperature on chemical stability of, 627
—, hydrolyzed, potentiometric titration of, 627
—, UV-irradiated ozonation of, 997
Poly(acrylic acid), crosslinked, viscoelastic and swelling behavior of, 2795
—, glass transition of, effect of crosslinking on, 1785(N)
—, polyelectrolytes from, 1645
Polyacrylonitrile, glassy, equilibrium water vapor sorption in, 2179
—, structure and properties of, 1673
Poly(alkylene oxide) solutions, phase behavior and water binding in, 1559
Polyamides, blends with ABS-terpolymer, properties of, 2493
Polyamine sulfone, polyelectrolytes from, 1645
Poly(aryl-β-diketone), complexes with Eu(III), 2007
Poly(arylene ether sulfones), 821
Poly(arylene keto esters), photolysis and fungal degradation of, 1951
Poly(*p*-benzoylacetystyrene), complexes with Eu(III), 2007
Polybutadiene, self-adhesion of layers of, 163
Polybutadiene rubber, molecular weight characterization of, 901
Poly(butadiene-*g*-styrene-*g*-α-methyl styrene), tensile properties of, 1335
Poly(*n*-butyl acrylate)-leather composites, 2621
Poly(butylene terephthalate), effects of absorbed water on properties of, 2145
Poly(1,4-butylene terephthalate), mechanical properties of, effect of relative humidity on, 2353
Polycaprolactam, anionically synthesized, properties of, 2001
Poly-ϵ-caprolactone polyols, cast urethane rubbers from, properties of, 149
Polycarbodiimides, reinforcement of acrylonitrile copolymers by blending with, 187
Polycarbonate, gas transport in, effect of sub-T_g annealing on, 971(N)
—, sheets, internal stress in, effect of thermal history on, 1117
—, sorption of propane in, effects of annealing on, 2109(N)
Polycarbonate–polyester blends, 1549
Polycarbonate polyols, moisture-cured polyurethanes based on, 2699
Poly(1,4-cyclohexanedimethylene succinate), blends with polycarbonate, 1549
Poly(diallyl dimethylammonium chloride), polyelectrolytes from, 1645
Polydienes, α,β-unsaturated carboxylic acids added to, 1273
Poly(2,6-dimethyl-1,4-phenylene oxide), blends with PS, compositional analysis of, 1145
Polyelectrolyte complexes, from copolymer of poly(3 and 4-vinylphenethyltriethylammonium bromide), 1723
—, effect of sorbed water on properties of, 1723
—, formation and adsorption properties of, 1645
—, from poly(3-vinylphenethyltriethylammonium bromide), 1723
—, from poly(4-vinylphenethyltriethylammonium bromide), 1723
—, from sodium poly(4-vinylbenzene sulfonate), 1723
Polyene sequences, in degraded PVC, photochemical reactions of, 2417
Polyepoxide, IPNs with polyurethanes, O_2 permeation through, 1105
Polyester, composites with glass fiber, tensile strength of, effect of fiber length on, 795
—, effects of absorbed water on properties of, 2145
—, fibers, dynamic compression properties of, 529
—, fibers, mechanical properties of, effects of dyes and dyeing on, 1071
—, ring containing, 1549
—, *in situ* polymerization of vinyl monomers in, initiation by glow discharge, 89
—, unsaturated, castings from, stress and cure gradients in, effect of temperature on, 381
—, yarns, partially oriented, dimensional changes in, 977
Poly(ester amides) from *p*-aminobenzoic acid and poly(ethylene terephthalate), liquid crystal properties of, 1685
Polyester-carbon fiber composites, tensile properties of, 2647(N)
Polyester fabrics, effect of nonionic surfactants on properties of, 1737
Polyester fibers, diffusion of dyes in, 2845
Polyester film bases, coating of gelatin on, via microwave plasma, 711(N)
Polyester–polycarbonate blends, 1549
Polyester polyols, moisture-cured polyurethanes based on, 2699
Polyester resins, from *o*-carboxymaleanilic acid, 51
Polyether, block copolymers with polyurethane. effect of moisture on impact response of, 615
Poly(ethyl acrylate), with poly(vinyl isobutyl ether), interpenetrating polymer network from, 959(N)
Polyethylene, blends with PP, morphology and tensile properties of, 1703
—, blown film, effect on gas permeability of postdrawing, 15
—, degradation of, microbial and oxidative effects in, 1655
—, halogenated, as electron-sensitive resists, 1131
—, radiation-induced grafting, for adhesive bonding, 25, 41
—, thermolysis and hydrogenolysis of, 747
Poly(ethylene adipate) glycol, urethane elastomer from, microphase separation in, 739
Polyethylene glycol, determination of mean molecular weight of, 499
—, phase changes and water binding in, 1559

—, thermal degradation of, as model compound for polyurethanes, 2969
—, UV-irradiated ozonation of, 997
Polyethylene halogenated, electron beam irradiation of, 1131
Polyethylene modified with styrene-*co*-DVB, sulfonated, 947(N)
Poly(ethylene 2,6-naphthalate), effects of absorbed water on properties of, 2145
Poly(ethylene orthophthalate), blends with polycarbonate, 1549
Poly(ethylene oxide-*co*-propylene oxide), water binding and phase changes in, 1559
Poly(ethylene terephthalate), drawing behavior of, 1381
—, effect of diethylene glycol content on properties of, 1195
—, effects of absorbed water on properties of, 2145
—, oriented, rotational isomers in, 1505(N)
—, *in situ* polymerization of vinyl monomers in, initiation by glow discharge, 89
—, thermal degradation of, role of flame-retardant chemicals in, 2943
Poly(ethylene terephthalate) filaments, treated with various organic solvents, shrinkage and mechanical properties of, 1601
Polyflavonoid tannin B rings, MDI crosslinking of, wood adhesives by, 2123(N)
Poly-1H,1H-pentadecafluorooctyl methacrylate, film, deposited by solution dipping, thickness and spatial distribution in, 211
Polyimides, reactive monomer terminated crosslinking efficiency of, 1059
Polyisobutylene, effect of constant electric field on molten, 555
—, effect of constant shear stress on molten, 555
—, phenol terminated, 1365
cis-Polyisoprene, self-adhesion of layers of, 163
Polymer blends, quantitative analysis of, using breadths of overlapping x-ray diffraction lines, 1825
Polymeric materials, mechanical properties of, effects of dyes and dyeing on, 1071
Polymeric piezoelectric films, rapid method for preparing, 2445(N)
Polymeric supports, crosslinked polymers for synthesis of, 2559
Polymeric systems, two-phase, relaxation maxima in, 1029
Polymerization, of butadiene in toluene with nickel (II) stearate-diethyl aluminum chloride catalyst, 2373
—, of ϵ-caprolactam, hydrolytic, MWD in, 1789(N)
—, of ethylene and propylene initiated by milled alumina powder, 1209
—, graft, of styrene on PVC, 1079, 1087
—, with redox initiators, 1257(N)
—, from the vapor phase, 1391
Polymerization mechanisms and, 449
Polymer-leather composites, 2621, 2755
Polymer melts, rheological measurements on, 1341
Polymers, transitions in, structural, radiothermoluminescence in analysis of, 963(N)
—, UV-cured, environmental effects on, 543
—, water-soluble, ozonation of, 997
Polymer–solvent systems, diffusion in, effect of solvent size on, 1793(N)
Polymethylene, 450–650 K, VSE equation of state for, 307
Poly(methyl methacrylate), blends with polystyrene, melt elasticity of, 653
—, drawing behavior of, free monomer effect on, 1373
—, dynamic stress intensity factors in, during viscoelastic crack propagation, 2789
—, mass flux of methanol in, 717
Poly(methyl methacrylate) films, surface characteristics of solvent-cast, 1961
Poly(methyl methacrylate)-leather composites, 2621
Poly(methyl methacrylate) sheets, internal stress in, effect of thermal history on, 1117
Polyolefins, second viral coefficients and M_n of, by vapor pressure osmometry, 1775
Polyolefin surfaces, treated, characterization of, by a liquid mixture spreading technique, 1253(N)
Polyols, and metal soaps, in stabilization of PVC, 2143(E)
Polyoxymethylene, melt rheology of, effects of copolyether-ester additives on, 2221
Poly(oxytetramethylene)glycol, MWD of, effect on polyurethane cut growth resistance, 2467
Polyparaxylylene electrets usable at high temperatures, 1639
Polypentenamer, α,β-unsaturated carboxylic acids added to, 1273
Poly(1,4-phenylene-1,3,4-oxadiazole) fibers, by dry jet-wet spinning, 315
Poly(*p*-phenyleneterephthalamide) gas barrier coatings, 1391
Polypropylene, blends with PE, morphology and tensile properties of, 1703
—, effect of MWD on melt spinning and extrudate swell characteristics of, 287
—, fire-retarding, 415
—, flame retardancy of, 2195
—, model compound for, photodegradation of, $FeCl_3$ effect on, 1095
Polypropylene/ABS–terpolymer blends, mixing and mechanical properties, 2451
Polypropylene fibers, creep fracture of, effect of temperature on, 1861
Polypropylene glycol, phase changes and water binding in, 1559
Poly(propylene oxide-*co*-ethylene oxide), water binding and phase changes in, 1559
Polystyrene, atactic, orientation development in tubular film extrusion of, 2777
—, behavior near T_g, 575
—, blends with PMMA, melt elasticity of, 653
—, blends with PPO, compositional analysis of, 1145
—, composites with layered perovskites, characterization of, 2857
—, degradation of, thermal, 1017
—, effect of tensile strain rate on mechanical properties of, 1007
—, ethylbenzene diffusivity in, 1297
—, flexible networks, chloromethylation of, structural transformations during, 2241
—, high-impact, melt spinning of, 1573
—, hi-impact, effect of tensile strain rate on mechanical properties of, 1007
—, impact, flame retardancy of, 2195
—, IR absorptivity of functional moiety in, molecular weight dependence of, 2265
—, *n*-pentane diffusivity in, 1297
Poly(styrene-*b*-butadiene-*g*-α-methyl styrene), tensile properties of, 1335
Polystyrene degradation, TGA of, comparison of methods for, 2869
Polystyrene films, surface characteristics of solvent-cast, 1961
Polystyrene melts, fiber reinforced, rheological properties of, 1217
Poly(styrene sulfonate), addition of to cellulose fibers, effect of, on physicomechanical properties of paper, 841
Poly(styrene sulfonate) sodium salt, polyelectrolytes from, 1645
Polysulfone ultrafiltration membrane, ultrastructure of the surface of, 2139(N)
Poly(tetrafluoroethylene), adhesive bonding of, improvement of, by acetylene glow discharge, 771
—, impregnated with Fe_2O_3, new composite material from, 1427
—, permeation of hydrocarbon gases in, 1755
Polytetrahydrofuran, See poly(tetramethylene oxide)
Poly(tetramethylene oxide, random block copolymers with tetramethylene terephthalate, 855
Polyureas, reinforcement of acrylonitrile copolymers by blending with, 187
Polyureaurethane, demolding time, 2739
—, molecular structure of, 2739
—, molecular weight of, 2739
Polyureaurethane formation, carboxylic acids as catalysts for, 2749
—, catalysts for, 2749

Polyurethane, adhesion of, to plasma-treated poly(*p*-xylylene), 1619
—, BHET modified, properties of, 1875
—, block copolymers with polyether, effect of moisture on impact response of, 615
—, cut growth resistance of, MWD of poly(oxytetramethylene)glycol on, 2467
—, IPNs with polyepoxides, O_2 permeation through, 1105
—, IR investigations of, 2879
—, moisture-cured, based on polyester and polycarbonate polyols, 2699
—, structural investigation of, 2879
—, thermal degradation of, model compounds for, 2969
—, thermoplastic, RIM system, 2317
Polyurethane foams, hydrophilic, open-cell, hydraulic permeability of, 2167
—, open-cell, absorption of benzene by, 829
—, rigid, cyclic structures containing, flammability and thermal properties of, 2659
Polyurethane rubbers, cast, prepared from poly-ϵ-caprolactone polyols and diisocyanates, 149
Polyurethaneurea formation, carboxylic acids as catalysts for, 2749
—, catalysts for, 2749
Poly(vinyl acetate), long-chain branching in, characterization of, 951(N)
—, Mark–Houwink relation for, 173
—, shear degradation of, 173
Poly(vinyl alcohol), grafted on hydrolyzed starch, membrane from, 1287
—, grafting of acrylic acid on, by photolysis, 2431(N)
—, UV-irradiated ozonation of, 997
Poly(vinylbenzyl chloride) latices, surface modification of, 2407
Poly(vinylbenzyl trimethylammonium chloride), polyelectrolytes from, 1645
Polyvinyl butyral solutions, iron oxide suspension in, rheological properties of, 2961
Poly(vinyl chloride), pyrolysis of, 101
Poly(vinyl fluoride), adhesive bonding of, improvement of, by acetylene glow discharge, 771
Poly(vinylidene fluoride), chlorinated, 1523
—, pyroelectric effect in, proposed model for, 703
Poly(vinyl isobutyl ether), with poly(ethyl acrylate), interpenetrating polymer network from, 959(N)
Poly(4-vinyl pyridine), alloy membranes from cellulose acetate and, 1969
Poly(vinyl sulfate) potassium salt, polyelectrolytes from, 1645
Poly(*p*-xylylene) films, plasma-treated, adhesion of polyurethane to, 1619
Pore size of porous membranes, microstructure of cation exchange membranes studied by, 2925
Postdrawing, effect on gas permeability in blown PE film, 15
Potentiometric titration, of hydrolyzed polyacrylamides, 627
PP, copolymers with PE and 1,4-hexadiene, blends of, with LDPE, 139
—, grafting of allyl monomers on, radiation-induced, 349
Preirradiation grafting technique, 535
Processability of rubber stocks, carbon black effect on, 127
Processing conditions, influence of, on some properties of anionically synthesized polycaprolactam in presence of LiCl, 2001
Propagation rate constant from emulsion polymerization, 2993(N)
Propane, sorption of, in polycarbonate, effects of annealing on, 2109(N)
Propylene, polymerization of, initiated by milled alumina powder, 1209
Propylene–ethylene block copolymers, x-ray diffraction studies of, 2589
Propylene–ethylene copolymer, Br and/or P containing monomer flame-retardant modification of, 2711
Propylene–fluoroethylene copolymer, permeation of hydrocarbon gases in, 1755
n-Propyl pyrene-1-carboxylate, pyrolysis of, 2943
PVC, adhesive bonding of, improvement of, by acetylene glow discharge, 771
—, degradation of, catalytic effect of HCl on, 2331
—, degraded, polyene sequences in, photochemical reactions of, 2417
—, discoloration of, metal soaps as cause of, 887
—, grafting of allyl monomers on, radiation-induced, 349
—, graft polymerization of styrene on, 1079, 1087
—, oxidation of, 2133(N)
—, perdeutero, pyrolysis of, 101
—, plasticized, fatigue mechanism and fatigue lifetime in, 597
—, plastisols of, 2019
—, porous membranes of, 2273
—, stabilization of, 887, 1407
—, stabilization of, by metal soaps and polyols, 2143(E)
—, stabilizers for, 2133(N)
—, stereoregularity of, 2205
PVC–Cu composites, electrical conductivity of, effect of temperature on, 111
Pyroelectric effect in poly(vinylidene fluoride), proposed model for, 703
Pyrolysis, of *n*-propyl pyrene-1-carboxylate, role of flame-retardant chemicals in, 2943
—, of PVC, 101
Pyrolysis and combustion of cellulose, 243
Pyrolysis gas chromatography, in compositional analysis of PS blends with PPO, 1145
Pyrolysis–gas chromatography–mass spectroscopy, 101
Pyrolysis mass spectrometry, 2943

Radial distribution curves, diffusion constants from, 2845
Radiation crosslinking, flame-retardant properties of insulated wires improved by, 1541
Radiation grafting, of acrylic and methacrylic acid to cellulose fibers to impart high water sorbency, 535
—, of styrene on cellulose, homogeneous, 2721
Radiation-induced graft copolymerization of methyl methacrylate on natural and modified wool, 487
Radiation-induced grafting, of P- and Br- containing flame-retardants on cotton, 691
—, on PE, for adhesive bonding, 25, 41
—, of styrene on cellulose, homogeneous, 2909
Radiation-induced graft polymerization of acrylic acid on nylon 6, 2513
Radiation-induced polymerization, of acrylonitrile in dimethylformamide, aspects of the kinetics of, 2539
—, of ethylene in pilot plant, 277, 1633
Radiation-initiated graft polymerization of acrylates and methacrylates on starch, 2285
γ-Radiation-initiated polymerization of methyl methacrylate, 449
Radiothermoluminescence for the analysis of structural transitions in polymers, 963(N)
Random copolymers, chemical heterogeneity of, 407
Rare earth metal-containing polymers, synthesis and characterization of, 359, 2007
Rate constants, propagation, from emulsion polymerization, 2993(N)
Reaction injection molding (RIM), thermoplastic polyurethane system in, 2317
Redox initiators, 1257(N)
Redox system, graft copolymerization of lignosulfonate with acrylic monomers initiated by, 2211
—, Mn(IV)–oxalic acid, graft polymerization initiated by, 1479
Reinforcement of acrylonitrile copolymers by polymer blending, 187
Relative humidity, effect of, on the mechanical properties of poly(1,4-butylene terephthalate), 2353
Relative molecular weight, of natural rubber, the influence of the, on its thermo-oxidative stability, 761
Relaxation, low temperature, in epoxy resin, 1355

—, stress, of thermoplastic elastomer (SBS type), 2119(N)
Relaxation maxima, in two-phase polymeric systems, 1029
Resists, electron-sensitive, halogenated PEs as, 1131
Resorcinol, generation (*in situ*) of, from tannin extracts, laminating wood adhesives by, 1039
Reverse gas chromatography, 499
Rheological and mechanical properties of polyurethane modified by BHET, 1875
Rheological measurements on polymer melts, 1341
Rheological properites of iron oxide particle suspensions, 2961
Rheology, of guar solutions, 2815
—, melt, of polyoxymethylene, effect of copolyether-ester additives on, 2221
—, nonisothermal, 575
—, of PVC plastisols, 2019
Rheovibron viscoelastometer, 529
Rigid backbone polymers, random copolyamides, 2891
RIM, See reaction injection molding
Ring-containing polyesters, 1549
Rotational isomers, in oriented PET fibers, 1505(N)
Rubber, liquid, carboxyl-terminated, crosslinking of, 1915
—, liquid partially neutralized, crosslinking of, 2339
—, natural, thermo-oxidative stability of, influence of relative MW on, 761
—, polybutadiene, MW characterization of, 901
—, polyurethane, cast from poly-ϵ-caprolactone polyols, properties of, 149
—, silicone, silica-filled, NH_3-modified swelling of, 1261(E)
Rubber gum stocks, filled and unfilled, crosslink density and solvent swelling of, 665
Rubber mixes, vulcanized, network structure of, effect of lignin on, 1249(N)
—, vulcanized, properties of, effect of lignin on, 1249(N)
Rubber morphology variations, 1573
Rubber vulcanizates, stress relaxation in, continuous and intermittent, simultaneous, 2427(N)

SBS-type thermoplastic elastomer, stress relaxation of, 2119(N)
Scanning electron microscope, 1587
Scanning electron microscopy, 783
—, of fracture surfaces, 1703
SEC, 1883
Second viral coefficients, of polyolefins, by vapor pressure osmometry, 1775
Sedimentation velocity, characterization of long-chain branching in PVOAc by, 951(N)
SEM, 487, 821, 1391, 2479
—, analysis of fractured surfaces by, 2731
—, microstructure of cation exchange membranes studied by, 2925
—, study of microporous membranes by, 2273
Shear degradation of poly(vinyl acetate), 173
Shear stress, constant, effect on nonlinear regions of molten polymers, 555
Shrinkage, of PET filaments, 1601
Silarylene–siloxane polymers, exactly alternating, 641
Silica–bitumen composites, role of filler in, 1867
Silica-filled silicone rubber, NH_3-modified swelling of, 1261(E)
Silicone rubber, silica-filled, NH_3-modified swelling of, 1261(E)
Silk, Indian, electron diffraction studies of, 635
—, methyl methacrylate grafting on, Mn(IV)–oxalic acid initiated, 1479
—, physical properties and structure of, 1813(E)
Siloxane–silarylene polymers, exactly alternating, 641
Size exclusion chromatography, 119(N)
Small-angle light scattering, 15
Soaps, metal, in stabilization of PVC, 887
Solid-state hydrolysis of bisphenol-A polycarbonate, effect of phenolic end groups, 2573
Solubility parameter, molecular factors affecting, 369
Solvent–polymer systems, diffusion in, effect of solvent size on, 1793(N)
Solvent size on, effect of, on diffusion in polymer–solvent systems, 1793(N)
Sorbency, water, on cellulose fibers, increased by grafting, 535
Sorption, equilibrium, of water vapor in glassy polyacrylonitrile, temperature dependence and energetics of, 2179
—, of propane, in polycarbonate, effects of annealing on, 2109(N)
—, transient, by symmetrical multilaminate slabs in well-stirred semiinfinite and finite baths, 2807
Sorption isotherm measurements, 731
Sorption kinetics, for laminate slabs, 1157
Sorption-penetration of cotton fibers, 2229
Sorptive experiments, in infinite bath, diffusion coefficient estimation from, 2429(N)
Spherulites, in PP, 1703
Spinning, melt, optimization in, for nylon 6, 1165
Spirality of the crystallites of the natural cotton fibers, 2523
Spreading, liquid mixture, characterization of surfaces by, 1253(N)
Stability, chemical, of hydrolyzed polyacrylamides, effect of temperature on, 627
—, thermal, of styrene-PVC graft copolymers, 1087
—, thermo-oxidative, of natural rubber, 761
Stabilization, of poly(vinyl chloride), 887, 1407, 2143(E)
—, of UV-curable vinyl compositions by transition metal compounds, 2613
Stabilizers for PVC, 2133(N)
Starch, grafting of acrylic acid on, by photolysis, 2431(N)
—, hydrolyzed-poly(vinyl alcohol) graft copolymer, membrane from, 1287
—, polymerization of, with alkyl acrylates and methacrylates, 2285
Starch-containing polymers, enzymatic digestion of, 2285
Staverman coefficient, 901
Stereoregularity of PVC studied by ^{13}C NMR, 2205
Strain, ultimate, of PP fibers, measured by creep fracture, 1861
Strain effects in the mass flux of methanol in poly(methyl methacrylate), 717
Stress, internal, of PMMA sheets, effect of thermal history on, 1117
—, internal, of polycarbonate sheets, effect of thermal history on, 1117
Stress gradients, in thermoset castings, effect of temperature on, 381
Stress intensity factors, dynamic, during viscoelastic crack propagation, 2789
Stress relaxation, of PP/ABS–terpolymer blends, 2451
—, in rubber vulcanizates, continuous and intermittent, simultaneous measurement of, 2427(N)
—, of the thermoplastic elastomer (SBS type), 2119(N)
Stress–strain, relationships, for PET fibers, 1195
Stress-strain curves, of polyurethane elastomers, 2467
Stress–strain properties, of PET filaments, 1601
Structural investigation of polyurethanes, 2879
Structural transformations during chloromethylation of flexible polystyrene networks, 2241
Styrene, block copolymers from, with hexamethyl cyclotrisiloxane, 2501
—, copolymers with DVB, modified PE by, sulfonated, 947(N)
—, copolymer with acrylic acid with or without 1-vinylanthracene, rare earth metal salts of, 359
—, copolymer with vinylbenzyl chloride, 2407
—, graft copolymerization of, on cellulose, 2721, 2909
—, grafting of, on cellulose acetate *p*-nitrobenzoate, by chain transfer reaction, 1833
—, graft polymerization of, on PVC, 1079, 1087
Styrene–acrylic terpolymer films, surface characteristics of solvent-cast, 1961

Styrenesulfonic acid, copolymer with vinyl alcohol, preparation of and catalysis of carbohydrate hydrolysis by, 2935
Sub-T_g annealing, effect of, on gas transport in polycarbonate, 971(N)
Sucrose, hydrolysis of, catalyzed by poly(vinyl alcohol-*co*-styrenesulfonic acid), 2935
Sulfonated PE, modified by styrene-*co*-DVB, 947(N)
Sulfur dioxide, mixture with diethylamine and DMSO, as solvent for graft copolymerization of styrene on cellulose, 2721, 2909
Supports, polymeric crosslinked polymers for, synthesis of, 2559
Surface characteristics of solvent-cast polymers, 1961
Surface characterization of plasma-treated poly-*p*-xylylene films, 1619
Surface contact angle measurements, 1619
Surface modification, of polyethylene by radiation-induced grafting for adhesive bonding, 25, 41
—, of poly(vinylbenzyl chloride) latices, 2407
Surface oxidation, bonding elastomer layers by, 163
Surfaces properties, characterization of, by spreading liquid mixture technique, 1253(N)
Surface tension, critical, 1961
—, critical, of wetting on plasma-polymerized hexamethyldisilazane, 2435(N)
Suspension polymerization, multicomponent monomer mixture in, time–conversion relation for, 2555
Swelling, of cellulose gels, effect of pH and neutral salts upon the, 2829
—, modulus, and alternate phase staining with CsF and LiI, of anionic/cationic sequential IPNs, 469
—, solvent of filled and unfilled stocks, 1519(E)
—, solvent of gum stocks, 665
Swelling behavior, of crosslinked poly(acrylic acid), 2795
Switching materials, PE-carbon black, effect of crosslinking on, 1515(N)
Synergetic effects of aminopolycarboxylates or nitrogen-containing agents with zinc stearate/calcium stearate soap, 1407
Synergetic soaps, effects of, on PVC, 1407
Synergism between metal soaps and polyols upon stabilization of PVC, 887, 2143(E)

Takayanagi's model, 1029
Tannin B rings, polyflavonoid, MDI crosslinking of, wood adhesives by, 2123(N)
TAT, See hexahydro-1,3,5-triacryloyl-S-triazine
TEM, 933
Temperature, effect of, on the electrical conductivity of poly(vinyl chloride)–copper composites, 111
—, effect on UV-cured polymers, 543
Temperature dependence of tensile properties of composites consisting of carbon-fiber tow in thermosetting polymers, 2647(N)
Temperature gradients, effect on cure and stress gradients in thick thermoset castings, 381
Tensile properties, of composites of carbon-fiber in thermosetting polymers, 2647(N)
—, of poly(butadiene-*g*-α-methyl styrene), 1335
—, of poly(styrene-*b*-butadiene-*g*-α-methyl styrene), 1335
Tensile properties and morphology of blends of polyethylene and polypropylene, 1703
Tensile strain rate, effect of, on the mechanical properties of polystyrene and high-impact polystyrene, 1007
Tensile strength, of PP fibers, measured by creep fracture, 1861
Tension, surface, critical, of wetting on plasma-polymerized hexamethyldisilazane, 2435(N)
Tension–compression-type fatigue apparatus, 597
Tetraethylthiuram, as initiator, in preparation of poly(vinyl alcohol-*co*-styrenesulfonic acid), 2935
Tetraglycidyl-4,4′-diaminodiphenyl-methane and diaminodiphenyl sulfone, epoxy resin from, 1355
Tetramethylene terephthalate, random block copolymers with poly(tetramethylene oxide), 855
Textile fabrics, flame retardance of, effect of moisture on, 1311
T_g, of BHET modified polyurethanes, 1875
TGA, 243, 1491(N), 1673
—, dynamic, 1087
—, of Eu(III)–polymer complexes containing β-diketone ligand, 2007
—, of polyimide crosslinking, 1059
—, of polystyrene degradation, comparison of methods for, 2869
—, of thioetherglycidyl resins, 2393
Thermal analysis, of cotton grafted with triallyphosphate (TAP) and 2,2,2-tribromoethyl acrylate (TBEA), 691
—, of the phosphorylation of cellulose during pyrolysis in the presence of organophosphorous compounds, 243
Thermal decomposition studies of cotton grafted with phosphorus- and bromine-containing flame-retardants, 691
Thermal degradation, of PET, role of flame-retardant chemicals in, 2943
—, of polystyrene, 1017
—, of polyurethanes, model compounds, 2969
Thermal-energy storage systems, composites for, 2857
Thermal history, influence of on internal stress distributions in sheets of PMMA and polycarbonate, 1117
"Thermally active" fillers, 2857
Thermally stimulated discharge current analysis (TSDC), 1355
Thermally stimulated discharge current studies on low-temperature relaxation in epoxy resin, 1355
Thermal properties, of polyurethane foams containing cyclic structures, 2659
—, of some bromine-containing aromatic fire retardants, 1491(N)
Thermolysis and hydrogenolysis of polyethylene under steam pressure, 747
Thermomechanical analyses, 1673
Thermo-oxidative stability, of natural rubber, 761
Thermoplastic elastomer, SBS type, stress relaxation of, 2119(N)
Thermoplastic foams, closed-cell, HD, relation between modulus and density for, 809
Thermosetting polymers, carbon fibers in, composites of, tensile properties of, 2647(N)
Thioetherglycidyl resins from condensation of mono- and di- mercaptonaphthalenes with epichlorohydrin, 2393
Thiuram vulcanization, effect of hydrofuramide on, 1263
Time–conversion relation for multicomponent monomer mixture, in suspension polymerization, 2555
TMA, 149
Toughness, fracture, of glassy polymers, techniques for evaluating, 1815
Transformations, structural, during chloromethylation of flexible polystyrene networks, 2241
Trans–Gauche rotational isomers in partially oriented poly(ethylene terephthalate) fibers, 1505(N)
Transition metal chlorides or oxychlorides, in coordination catalysts for HDPE, 2045
Transition metal compounds, UV-curable vinyl compositions stabilized by, 2613
Transitions, structural, in polymers, radiothermoluminescence in analysis of, 963(N)
Transmission electron microscopy, 1619, 1715, 1883
—, of thin films, 1703
Transmission infrared spectroscopy, 1619
Transport, free-volume theory of, 1297
Transport across cellulose acetate membranes, in the presence of strong solute–membrane interactions, 323
Transport membrane for chloride ion, 1419
Triallyl phosphate, radiation-induced grafting of, on cotton, 691

Triblock copolymers, ethylene–propylene, 2589
2,2,2-Tribromoethyl acrylate, radiation-induced grafting of, on cotton, 691
Trifluoracetic anhydride, rapid acetylation of cellulose by, 2567
Tubular film extrusion, of atactic polystyrene, 2777
Turbidity measurements, on polyelectrolyte complexes, 1645
Tussah silk fibroin, glass transition and conformational changes in, 1813(E)
Two-phase polymeric systems, relaxation maxima in, 1029

Ultrafiltration membrane, polysulfone, ultrastructure of surface of, 2139(N)
α,β-Unsaturated carboxylic acids, direct addition reaction of, to polydienes and polypentenamer, 1273
Urea–formaldehyde reaction system, an experimental investigation, 2597
Urethane elastomers, crosslinks in, influence of NCO:OH relation and chain extender on, 2531
—, glass transitions in, 739
—, microphase separation in, 739
UV analysis of solid-state hydrolyzed bisphenol-A polycarbonate, 2573
UV-curable vinyl compositions, stabilization of, by transition metal compounds, 2613
UV-cured polymers, physical properties of, effect of humidity and elevated temperatures on, 543
UV-initiated graft copolymerization, flame-resistant cotton textiles by, 2295
UV-irradiated ozonation of water-soluble polymers, 997
UV spectroscopy, 51, 2187

van der Waals volume, 369
Vapor phase polymerization, 1391
Vapor pressure measurements, 499
Vapor pressure osmometer, improved, 1775
Vinyl acetate, copolymer with styrenesulfonic acid, preparation of, 2935
Vinyl alcohol, copolymer with styrenesulfonic acid, preparation of and catalysis of carbohydrate hydrolysis by, 2935
1-Vinylanthracene, copolymer with acrylic acid and styrene, rare earth metal salts of, 359
Vinylbenzyl chloride, polymers and copolymers, 2407
N-Vinylcarbazole, phthalic anhydride-based cation exchange resin from, 511
Vinyl compositions, UV-curable, stabilization of, by transition metal compounds, 2613
Vinyl monomers, mono-, copolymerization with divinyl monomers, branching by, in continuous-flow stirred reactors, 59
—, *in situ* polymerization of, in polyesters, initiation by glow discharge, 89
1-Vinylnapthalene, copolymer with acrylic acid, rare earth metal salts of, 359
Vinyl phosphonate oligomer, graft copolymerization of, on cotton textiles, 2295
Viscoelastic behavior of highly crosslinked poly(acrylic acid), 2795
Viscoelastic crack propagation, dynamic stress intensity factors during, 2789
Viscoelasticity, dynamic, of plasticized PVC, 597
—, interpretive nonlinear dynamic properties of nylon 6, nylon 66, and nylon 12 fibers, 2063
—, of α-methylstyrene diblock copolymers with butadiene, 1715
Viscoelastic properties, of filled polymers, 1029
—, of polyurethane elastomers, 2467
Viscometry, 783
—, solution, 855
Viscosity, apparent, of a fluid–gas mixture, 1695
—, of casein–*g*–butyl acrylate, 1799(N)
—, of Fe_2O_3 suspensions in plastics, 2961
Viscosity measurements, 499
Volume-entropy-energy equation for liquids, critical appraisal of, 2305
VSE equation, for liquids, 2305
—, of state liquids, polymethylene 450–650 K, 307
Vulcanization, thiuram, effect of hydrofuramide on, 1263

Water, absorbed, effects of, on polyesters, 2145
Water binding in poly(alkylene oxide) solutions, 1559
Water permeability, study of microporous membranes by, 2273
Water-soluble polymers, ozonation of, 997
Water sorbed, on, effect of, dielectric and mechanical properties of polyion complex, 1723
Water vapor sorption, equilibrium, in glassy polyacrylonitrile, 2179
Wet spinning, dry jet-, of poly(1,4-phenylene-1,3,4-oxadiazole) fibers, 315
Wettability studies of plasma-polymerized hexamethyldisilazane, 2435(N)
Wetting tension test, 1253(N)
Wide-angle x-ray scattering, 15
Williams–Landel–Ferry constants, 1793(N)
Williams–Landel–Ferry equation, 1861
Wood, adhesives, exterior, by MDI crosslinking of polyflavonoid tannin B rings, 2123(N)
—, adhesives, for laminating, from tannin extracts, 1039
—, coated with chlorinated poly(vinylidene fluoride), 1523
Wood lignin, aspen, autohydrolysis of, 589
—, aspen milled, autohydrolysis of, 2187
Wood waterproofing and lignin crosslinking by means of chromium trioxide/guajacyl units complexes, 2547
Wool, fibers, grafting of MMA on, 63
—, fibers, grafting of vinyl monomers on, 63
—, grafting of MMA on, radiation-induced, 487
—, grafting of vinyl monomers on, Ce (IV) initiated, 235
—, methyl methacrylate grafting on, ferric acetylacetonate/Cl_2CHCO_2H system initiated, 1991
Wrinkle-resistant cotton, 933

X-ray, study of cellulose fibrillar size by, 2105
X-ray analyses, of anionically synthesized polycaprolactam, 2001
X-ray diffraction, crystallinity of silk fibers determined from, 921
—, of melt spun copolyester fibers, 869
—, quantitative analysis of polymer blends using, 1825
—, of wool, natural and modified, 487
X-ray diffraction data, from cotton textiles, digital comparison of, 1469
X-ray diffraction measurements, 1673
X-ray diffraction studies of ABA propylene–ethylene block copolymers, 2589
X-ray intensity analysis, of natural cotton fibers, 2523
X-ray microanalysis, microstructure of cation exchange membranes studied by, 2925

Journal of Applied Polymer Science

Volume 25, 1980

Editor-in-Chief: H. MARK

Editor: P. WEISS

European Editor: A. LEDWITH

Advisory Board:

J. C. ARTHUR, JR.
New Orleans, Louisiana
H. BARTL
Leverkusan, Germany
R. F. BOYER
Midland, Michigan
J. H. BRADBURY
Canberra, Australia
E. CERNIA
Rome, Italy
H. CHERDRON
Frankfurt, Germany
S. L. COOPER
Madison, Wisconsin
W. COOPER
Birmingham, England
H. W. COOVER, JR.
Kingsport, Tennessee
N. S. ENIKOLOPIAN
Moscow, USSR
H. P. FRANK
Linz, Austria
Z. G. GARDLUND
Warren, Michigan
T. W. GEORGE
Raleigh, North Carolina
J. K. GILLHAM
Princeton, New Jersey
M. A. GOLUB
Moffet Field, California
H. B. HOPFENBERG
Raleigh, North Carolina
F. E. KARASZ
Amherst, Massachusetts
J. L. KARDOS
St. Louis, Missouri
H. KRAESSIG
Lenzing-Oberosterreich, Austria
M. KRYSZEWSKI
Lodz, Poland
J. LE BRAS
Paris, France
M. LEWIN
Jerusalem, Israel
D. J. METZ
Upton, New York
S. MORIMOTO
Osaka, Japan
M. MORTON
Akron, Ohio
N. OGATA
Tokyo, Japan
J. A. PARKER
Moffet Field, California
D. R. PAUL
Austin, Texas
N. A. PEPPAS
West Lafayette, Indiana
R. H. PETERS
Manchester, England
QUIAN BAOGONG
People's Republic of China
B. RANBY
Stockholm, Sweden
L. REBENFELD
Princeton, New Jersey
F. RODRIGUEZ
Ithaca, New York
R. SALOVEY
Los Angeles, California
H. TSCHAMLER
Vienna, Austria
L. VALTASAARI
Otaniemi, Finland
G. L. WILKES
Blacksburg, Virginia
H. L. WILLIAMS
Toronto, Ontario
N. WOODING
London, England

An Interscience® Publication
Published by JOHN WILEY & SONS

The *Journal of Applied Polymer Science* is published in two sections as follows: *Journal of Applied Polymer Science,* monthly; *Applied Polymer Symposia,* irregularly. Published monthly, one volume per year, by John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10158. Second-class postage paid at New York, New York, and at additional mailing offices.

Copyright © 1980 by John Wiley & Sons, Inc. All rights reserved. Reproduction or translation of any part of this work beyond that permitted by Sections 107 or 108 of the United States Copyright law without the permission of the copyright owner is unlawful.

The code and the copyright notice appearing at the bottom of the first page of an article in this journal indicate the copyright owner's consent that copies of the article may be made for personal or internal use, or for the personal or internal use of specific clients, on the condition that the copier pay for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. The per-copy fee for each article appears after the dollar sign and is to be paid through the Copyright Clearance Center, Inc., 21 Congress Street, Salem, Massachusetts 01970. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Such permission requests and other permission inquiries should be addressed to the publisher.

Subscription price (1981): $295.00 per volume. Postage and handling outside U.S.A.: $31.00. Please allow four weeks for change of address. Back volumes, microfilm, and microfiche available for previous years.

Claims for undelivered copies must be made no later than three months following month of publication. Missing copies will be supplied when losses have been sustained in transit and where reserve stock will permit.

Journal of Applied Polymer Science

Contents

Volume 25, 1980

ISSUE NO. 1, JANUARY 1980

Diels–Alder Adducts as Epoxy Resin Hardeners
T. Matynia 1

Effect of Postdrawing on the Permeability of Gases in Blown Polyethylene Film
J. P. Paulos and E. L. Thomas 15

Surface Modification of Polyethylene by Radiation-Induced Grafting for Adhesive Bonding. IV. Improvement in Wet Peel Strength
S. Yamakawa and F. Yamamoto 25

Surface Modification of Polyethylene by Radiation-Induced Grafting for Adhesive Bonding. V. Comparison with Other Surface Treatments
S. Yamakawa and F. Yamamoto 41

Structure and Properties of *o*-Carboxymaleanilic Polyester Resins
N. N. Messiha, M. H. Nosseir, and S. H. El-Hamouly 51

Branching by Copolymerization of Monovinyl and Divinyl Monomers in Continuous-Flow Stirred Reactors
G. Ver Strate, C. Cozewith, and W. W. Graessley 59

Grafting Vinyl Monomers Onto Wool Fibers. V. Graft Copolymerization of Methyl Methacrylate Onto Wool Using Peroxydiphosphate as Initiator
P. L. Nayak, S. Lenka, and M. K. Mishra 63

The Kinetics of Hydrolytic Polymerization of ϵ-Caprolactam. II. Determination of the Kinetic and Thermodynamic Constants by Least-Squares Curve Fitting
K. Tai, H. Teranishi, Y. Arai, and T. Tagawa 77

The Initiation of in situ Polymerization of Vinyl Monomers in Polyester by Glow Discharge
A. Moshonov and Y. Avny 89

The Formation of Volatile Pyrolyzates from Poly(vinyl Chloride)
R. P. Lattimer and W. J. Kroenke 101

Effect of Temperature on the Electrical Conductivity of Poly(vinyl Chloride)–Copper Composites
S. K. Bhattacharya, S. Basu, and S. K. De 111

NOTE

Size Exclusion Chromatography and Low-Angle Laser Light Scattering. Application to the Study of Long Chain-Branched Polyethylene
D. E. Axelson and W. C. Knapp 119

Information for Contributors 125

ISSUE NO. 2, FEBRUARY 1980

Influence of Carbon Black on Processability of Rubber Stocks. V. Extrusion
G. R. Cotten 127

Cocrystallization and Polymer Miscibility
H. W. Starkweather, Jr. 139

Properties of Some Cast Polyurethane Rubbers Prepared from Poly-ϵ-caprolactone Polyols and Diisocyanates
G. B. Guise and G. C. Smith 149

Bonding Elastomer Layers Together by a Surface Oxidation Reaction
R. J. Chang A. N. Gent, C. C. Hsu, and K. C. Sehgal 163

Shear Degradation of Poly(vinyl Acetate) in Toluene Solutions by High-Speed Stirring
S. H. Agarwal and R. S. Porter 173

Reinforcement of Acrylonitrile Copolymer by Polymer Blending
E. L. Lawton, T. Murayama, V. F. Holland, and D. C. Felty 187

On the Thickness and Spatial Distribution of a Fluoropolymer Film Deposited by Solution Dipping
H. G. Tompkins and S. P. Sharma 211

Graft Copolymerization of Vinyl Monomers onto Modified Cottons. XII. Grafting of 1,1-Dihydroperfluoroheptyl Acrylate onto Cellulose Carbamate using Hydrogen Peroxide as Initiator
A. Hebeish, E. A. El Alfy, A. Waly, and N. Y. Abou-Zeid 223

Grafting onto Wool. VII. Ceric Ion-Initiated Graft Copolymerization of Vinyl Monomers. Comparision of Monomer Reactivities
B. N. Misra, I. K. Mehta, and R. Dogra 235

Pyrolysis and Combustion of Cellulose. VII. Thermal Analysis of the Phosphorylation of Cellulose and Model Carbohydrates During Pyrolysis in the Presence of Aromatic Phosphates and Phosphoramides
J. T. Langley, M. J. Drews, and R. H. Barker 243

New Approach to Aqueous Gel Permeation Chromatography of Nonderivatized Cellulose
Y. T. Bao, A. Bose, M. R. Ladisch, and G. T. Tsao 263

Radiation-Induced Polymerization of Ethylene in Pilot Plant. IV. Kinetic Analysis
H. Watanabe, S. Machi, H. Kurihara, T. Wada, K. Yamaguchi, T. Watanabe and M. Takehisa 277

Experimental Investigations of the Influence of Molecular Weight Distribution on Melt Spinning and Extrudate Swell Characteristics of Polypropylene
W. Minoshima, J. L. White, and J. E. Spruiell 287

A VSE Equation of State for Liquids. VI. Polymethylene 450–650 K
A. K. Doolittle 307

Aromatic Poly(1,4-phenylene-1,3,4-oxadiazole) Fibers by Dry Jet-Wet Spinning
R. S. Jones and J. W. Soehngen 315

ISSUE NO. 3, MARCH 1980

Characterization of Transport Across Cellulose Acetate Membranes in the Presence of Strong Solute–Membrane Interactions
H-B. Burghoff, K. L. Lee, and W. Pusch 323

Functionalization of Polymer Supports for Polymerization Catalysts by Graft Polymerization Method
D. A. Kritskaya, A. D. Pomogailo, A. N. Ponomarev, and F. S. Dyaschkovskii 349

Synthesis and Characterization of Rare Earth Metal-Containing Polymers. I. Fluorescent Properties of Ionomers Containing Dy^{3+}, Er^{3+}, Eu^{3+}, and Sm^{3+}
E. Banks, Y. Okamoto, and Y. Ueba 359

The Molecular Factors Affecting the Solubility Parameter
D. G. Peiffer 369

Effect of Temperature Gradients on Cure and Stress Gradients in Thick Thermoset Castings
S. Y. Pusatcioglu, J. C. Hassler, A. L. Fricke, and H. A. McGee, Jr. 381

Effect of Nitrogen-Donor Ligands in the Stability of the Photolysis Products of $Mn_2(CO)_{10}$
C. Busetto, A. M. Mattucci, and E. Cernia 395

Comparison of the Instantaneous and Conversion Chemical Heterogeneity of Random Copolymers
J. Stejskal and P. Kratochvíl 407

Fire-Retarding Polypropylene with Magnesium Hydroxide
S. Miyata, T. Imahashi, and H. Anabuki 415

Effect of Crystalline Structure on the Infrared Spectra of γ-Irradiated Cotton Cellulose
M. A. Moharram and N. A. Hakeem 427

Effect of Photodegradation on Dynamic Mechanical Properties of Nylon 6
S. Yano and M. Murayama 433

Polymerization Mechanisms and Molecular Weight Distributions. III. Gamma-Radiation-Initiated Polymerization of Methyl Methacrylate
J. G. Braks, G. Mayer, and R. Y. M. Huang 449

Dyeing of Chemically Modified Cellulose. VII. Dyeability of Cellulose Bearing Aromatic Amino, Nitro, and Acrylamidomethyl Groups
A. Hebeish, A. Waly, A. Z. Moursi, and F. A. A. Mohdy 457

Characterization of Anionic/Cationic Sequential IPNs. II. Studies of Swelling, Modulus, and Alternate Phase Staining with CsF and LiI
S. C. Hargest, J. A. Manson, and L. H. Sperling 469

Radiation-Induced Graft Copolymerization of Methyl Methacrylate on Natural and Modified Wool. V. Crystalline and Morphological Structure
D. S. Varma and R. K. Sadhir 487

Determination of Mean Molecular Weight of Polyethylene Glycols by Several Physical Methods
S. A. Taleb-Bendiab and J-M. Vergnaud 499

Phthalic Anhydride-Based Cation Exchange Resin from *N*-Vinylcarbazole
M. Biswas and S. Packirisamy 511

Phosphorylation Cellulose: Effect of the Reactivity of the Starting Polymer on the Properties of the Phosphorylated Product
S. H. Zeronian, S. Adams, K. Alger, and A. E. Lipska 519

Dynamic Compression Mechanical Properties of Fiber Masses with a Rheovibron Viscoelastometer
T. Murayama 529

ISSUE NO. 4, APRIL 1980

Radiation Grafting of Acrylic and Methacrylic Acid to Cellulose Fibers to Impart High Water Sorbency
A. H. Zahran, J. L. Williams, and V. T. Stannett 535

Effect of Humidity and Elevated Temperatures on Physical Properties of UV-Cured Polymers
D. A. Bolon, G. M. Lucas, D. R. Olson, and K. K. Webb 543

Transient Response to Nonlinear Region of Molten Polymers Subjected to a Sudden Imposition of Constant Shear Stress or Constant Electric Field
F. P. La Mantia and D. Acierno 555

Emulsion Polymerization Kinetics and Reactor Design. IV. Continuous-Flow Operation with Recycling
C-C. Lin, W-Y. Chiu, and L-C. Huang 565

Studies in Nonisothermal Rheology: Behavior Near the Glass Transition Temperature and in the Oriented Glassy State
D. A. Carey, C. J. Wust, Jr., and D. C. Bogue 575

Simulated Autohydrolysis of Aspen Milled Wood Lignin in the Presence of Aromatic Additives. Changes in Molecular Weight Distribution
J. H. Lora and M. Wayman 589

Evaluation of Fatigue Lifetime and Elucidation of Fatigue Mechanism in Plasticized Poly(vinyl Chloride) in Terms of Dynamic Viscoelasticity
A. Takahara, K. Yamada, T. Kajiyama, and M. Takayanagi 597

Effects of Moisture on the High-Speed Impact Response of Selected Polyurethane–Polyether Block Copolymers
A. F. Wilde, R. W. Matton, J. M. Rogers, and S. E. Wentworth 615

High Molecular Weight Hydrolyzed Polyacrylamides. III. Effect of Temperature on Chemical Stability
G. Muller, J. C. Fenyo, and E. Selegny 627

Electron Diffraction Studies on Indian Silk
N. V. Bhat, G. S. Nadiger, K. M. Paralikar, and S. M. Betrabet 635

Exactly Alternating Silarylene–Siloxane Polymers. I. The Synthesis and Stability of Bis(1,1-tetramethylene-3-phenylureido)dimethylsilane
P. R. Dvornic and R. W. Lenz 641

The Melt Elasticity of Polymer Blends: Polystyrene/Poly(methyl Methacrylate)
B. A. Thornton, R. G. Villasenor, and B. Maxwell 653

Crosslink Density and Solvent Swelling of Filled and Unfilled Stocks
D. M. French 665

Cellulose Peroxides Derived from Carbonylated Cellulose and Hydrogen Peroxide
H. Kubota and Y. Ogiwara 683

Thermal Decomposition Studies of Cotton Radiolytically Grafted with Phosphorus- and Bromine-Containing Flame Retardants
A. Mey-Marom and D. Behar 691

Proposed Model for Pyroelectric Effect in Poly(vinylidene Fluoride)
T. Kaura and R. Nath 703

NOTE

Microwave Plasma Process for Gelatin Coating on Polyester and Cellulose Triacetate Film Bases
R. G. Bosisio, T. W. Chan Tang, and P. B. Lamontagne 711

ISSUE NO. 5, MAY 1980

Strain Effects in the Mass Flux of Methanol in Poly(methyl Methacrylate)
R. A. Ware and C. Cohen 717

Functional Monomers and Polymers. LXX. On the Adsorption of Iodine onto Chitosan
Y. Shigeno, K. Kondo, and K. Takemoto 731

Microphase Separation and Properties of Urethane Elastomers
W. Nierzwicki and E. Wysocka 739

Thermolysis and Hydrogenolysis of Polyethylene under Steam Pressure
T. Okui and Y. Ogo 747

The Influence of the Relative Molecular Weight of Natural Rubber on its Thermo-Oxidative Stability
J. Hrivíková, A. Blažková, and L. Lapčík 761

The Use of Acetylene Glow Discharge for Improving Adhesive Bonding of Polymeric Films
A. Moshonov and Y. Avny 771

Membranes Prepared from Keratin–Polyacrylonitrile Graft Copolymers
J. Schaller, T. Miyamoto, K. Shimamura, and H. Inagaki 783

Effects of Fiber Length on the Tensile Strength of Epoxy/Glass Fiber and Polyester/Glass Fiber Composites
M. Miwa, T. Ohsawa, and J. Tahara 795

Relationship Between Modulus and Density for High-Density Closed-Cell Thermoplastic Foams
M. J. Iremonger and J. P. Lawler 809

The Properties of Some Poly(arylene Ether Sulfones)
I. K. Ahmed, N. Walker, I. W. Parsons, and R. N. Haward 821

Absorption of Benzene by Open-Cell Polyurethane Foams
M. V. Sefton and J. L. Mann 829

The Influence of Poly(styrene Sulfonate) Addition to Cellulosic Fibers by Wet Processing on the Physicomechanical Properties of Paper
H. Eroglu, J. P. Andreolety, J. Silvy, and H. Cheradame 841

Copolyester Studies. V. Preparation and Characterization of Tetramethylene Terephthalate–Poly(tetramethylene Oxide) Random Block Copolymers
C. M. Boussias, R. H. Peters, and R. H. Still 855

Copolyester Studies. VI. Melt Spinning and Mechanical Properties of Tetramethylene Terephthalate–Poly(tetramethylene Oxide) Random Block Copolymers
C. M. Boussias, R. H. Peters, and R. H. Still 869

Permeability of Oxygen through Polymers. II. The Effect of Humidity and Film Thickness on the Permeation and Diffusion Coefficients
K. Petrak and E. Pitts 879

Stabilization of Poly(vinyl Chloride). V. Synergism between Metal Soaps and Polyols upon Stabilization of Poly(vinyl Chloride)
T. Iida and K. Gotō 887

Molecular Weight Characterization of Polybutadiene Rubber with High Molecular Weight and Broad Molecular Weight Distribution
M. R. Ambler 901

Crystallinity in Silk Fibers: Partial Acid Hydrolysis and Related Studies
N. V. Bhat and G. S. Nadiger 921

Wrinkle-Resistant Cotton by Photoinitiated Reaction with Glycidyl Methacrylate Followed by Crosslinking Reactions
R. M. Reinhardt, J. C. Arthur, Jr., and L. L. Muller 933

NOTES

Continuous Modification of Polyethylene with Styrene and Divinylbenzene in Melt
A. S. Góźdź and W. Trochimczuk 947

Characterization of Long-Chain Branching in Poly(vinyl Acetate) by Sedimentation Velocity and Exclusion Chromatography
R. Dietz 951

The Permeability of Polyethylene to Ammonia
C-O. Lee and G. K. Hart 955

Preparation and Properties of a Poly(vinyl Isobutyl Ether)–Poly(ethyl Acrylate) Interpenetrating Polymer Network
D. J. Hourston and J. A. McCluskey 959

Radiothermoluminescence as a Method for the Analysis of Structural Transitions in Polymers
L. Y. Zlatkevich, L. F. Nichols, N. T. Crabb 963

Analysis for the Calendering of Bingham Plastic Fluids
T.-S. Chung 967

Effect of Sub-T_g Annealing on Gas Transport in Polycarbonate
A. H. Chan and D. R. Paul 971

Information for Contributors 975

ISSUE NO. 6, JUNE 1980

The Dimensional Changes of Partially Oriented Polyester Yarns Subjected to Dry and Wet Heat
J. O. Warwicker and B. Vevers 977

UV-Irradiated Ozonation of Water-Soluble Polymers
S. Imamura, M. Teramoto, Y. Ogawa, and H. Teranishi 997

Effect of Tensile Strain Rate on the Mechanical Properties of Polystyrene and High-Impact Polystyrene
M. Yokouchi, H. Uchiyama, and Y. Kobayashi 1007

Thermal Degradation of Polystyrene. I. Chain Scission at Low Temperature in Air
M. C. Gupta and J. D. Nath 1017

On Shift and Resolution of Relaxation Maxima in Two-Phase Polymeric Systems
Yu. S. Lipatov, V. F. Rosovitsky, B. V. Babich and N. A. Kvitka 1029

Laminating Wood Adhesives by Generation of Resorcinol from Tannin Extracts
A. Pizzi and G. M. E. Daling 1039

Condensation Polymerizations in Ideal Continuous-Flow-Stirred Tank Reactors of Monomers Violating the Equal Reactivity Hypothesis
S. K. Gupta, A. Kumar, and R. Saraf 1049

Investigation of the Crosslinking Efficiency of Some Additional Curing Polyimides
P. J. Dynes, R. M. Panos, and C. L. Hammermesh 1059

The Effect of Dyes and Dyeing on the Mechanical Properties of Polymeric Materials
S. C. O. Ugbolue and S. M. Aula 1071

Graft Copolymerization of Poly(vinyl Chloride) with Styrene. I. Synthesis and Characterization
K. K. Sharma and I. K. Varma 1079

Graft Copolymerization of Poly(vinyl Chloride) with Styrene. II. Thermal Behavior
K. K. Sharma and I. K. Varma 1087

ESR Study of the Effect of Ferric Chloride on the Photodegradation of Model Compound for Polypropylene
A. Negishi and Y. Ogiwara 1095

Permeation of Oxygen through Polyurethane–Polyepoxide Interpenetrating Polymer Networks
S. A. Chen and H-L. Ju 1105

The Influence of Thermal History on Internal Stress Distributions in Sheets of PMMA and Polycarbonate
J. R. Saffell and A. H. Windle 1117

Halogenated Polyethylenes as Electron-Sensitive Resists
R. T. Sikorski and R. Gabryś 1131

Melting and Crystallization of Nylon 6 Containing Copper Chloride
A Siegmann and Z. Baraam 1137

Compositional Determination of 2,6-Dimethyl-1,4-phenylene Oxide and Styrene Homopolymer Blends by Infrared Spectrometry and Pyrolysis Gas Chromatography
A. K. Mukherji, M. A. Butler, and D. L. Evans 1145

Sorption Kinetics for Asymmetric Binary and Ternary Laminate Slabs in Finite and Semi-Infinite Well-Stirred Baths
H. G. Spencer and J. A. Barrie 1157

A Similarity Criterion of the Optimal Process in Melt Spinning
Y. D. Kwon, R. H. Butler, and D. C. Prevorsek 1165

Morphology and Fracture Properties of Pure and Reinforced Aluminum-Epoxy Adhesive Joints
J. Mijović 1179

Influence of Diethylene Glycol Content on Behavior of Poly(ethylene Terephthalate) Fibers
J. Militký, J. Vaníček, J. Dostál, J. Jansa, and J. Čáp 1195

Polymerization of Ethylene and Propylene Initiated by Milled Alumina Powder
N. Kurokawa, M. Tabata, and J. Sohma 1209

Shear Flow Rheological Properties, Fiber Damage, and Mastication Characteristics of Aramid-, Glass-, and Cellulose-Fiber-Reinforced Polystyrene Melts
L. Czarnecki and J. L. White 1217

NOTES

Hydrogen Bonding in Nitrocellulose
B. W. Brodman and M. D. Devine 1245

Effect of Lignin on the Network Structure and Properties of Natural Rubber Mixes Vulcanized by Conventional, Semiefficient and Efficient Vulcanization Systems
G. B. Nando and S. K. De 1249

Characterization of Treated Polyolefin Surfaces by a Liquid Mixture Spreading Technique
A. Marmur, M. Narkis, and W. Woogen 1253

Polymerization with Redox Initiators
R. K. Biyani, R. V. Subramanian, and R. Mahalingam 1257

ERRATUM

NH_3-Modified Swelling of Silica-Filled Silicone Rubber
P. Vondráček and M. Schätz 1261

ISSUE NO. 7, JULY 1980

Influence of Hydrofuramide on Network Structure and Kinetics of Thiuram Vulcanization
B. Banerjee, S. N. Chakravarty, and A. B. Biswas 1263

Synthesis and Properties of Photosensitive Rubbers. I. Direct Addition Research of α,β-Unsaturated Carboxylic Acids to Polydienes and Polypentenamer
C. Azuma, K. Sanui, and N. Ogata 1273

Hydrophilic Behavior of HSPAN/PVA Membrane
J. E. Turner, M. Shen, and C-C. Lin 1287

Estimation of Diffusion Coefficients for Trace Amounts of Solvents in Glassy and Molten Polymers
J. S. Vrentas, H. T. Liu, and J. L. Duda 1297

Influence of Moisture on the Flame Retardance of Textile Fabrics
S. H. Zeronian, M. S. Ellison, and K. Alger 1311

Grafting Vinyl Monomers onto Cellulose. I. Graft Copolymerization of Methyl Methacrylate onto Cellulose using Quinquevalent Vanadium Ion
S. Lenka, P. L. Nayak, and M. K. Mishra 1323

Cationic Polymerization of α-Methyl Styrene from Polydienes. II. Tensile Properties of Poly(butadiene-*g*-α-Methyl Styrene) and Poly(styrene-*b*-Butadiene-*g*-α-Methyl Styrene) Copolymers
R. J. Ambrose and J. J. Newell 1335

Dynamic and Steady-State Rheological Measurements on Polymer Melts
R. M. Schulken, R. H. Cox, and L. A. Minnick 1341

Thermally Stimulated Discharge Current Studies on Low-Temperature Relaxation in Epoxy Resin
W-F. A. Su, S. H. Carr, and J. O. Brittain 1355

Synthesis of Phenol-Terminated Polyisobutylene: Competitive Chain Transfer Reactions
J. M. Rooney 1365

Effect of Free Monomer Content on the Drawing Behavior of Poly(methyl Methacrylate)
P. S. Hope, R. A. Duckett, and I. M. Ward 1373

A Study of the Drawing Behavior of Poly(ethylene Terephthalate)
J. M. Perena, R. A. Duckett, and I. M. Ward 1381

Polymerization from the Vapor Phase. I. Poly(*p*-phenyleneterephthalamide) Gas Barrier Coatings
R. M. Ikeda, R. J. Angelo, F. P. Boettcher, R. N. Blomberg, and M. R. Samuels 1391

Stabilization of Poly(vinyl Chloride). VI. Synergetic Effects of Aminopolycarboxylates or Nitrogen-Containing Agents with Zinc Stearate/Calcium Stearate Soap
T. Iida and K. Gotō 1407

Active Transport Membrane for Chlorine Ion
N. Ogata, K. Sanui and H. Fujimura 1419

Characterization of a New Composite Material: Fe_2O_3–Impregnated Poly(tetrafluoroethylene). Particle Size Determination and Photoacoustic Spectroscopy
F. Galembeck, C. C. Ghizoni, C. A. Ribeiro, H. Vargas, and L. C. M. Miranda 1427

Relation between Intrinsic Viscosity and Molecular Weight
H. M. Quackenbos 1435

Physical Aging of Poly(acrylonitrile–Butadiene–Styrene). I. Dynamic Mechanical Measurements
M. G. Wyzgoski 1443

Physical Aging of Poly(acrylonitrile–Butadiene–Styrene). II. Differential Scanning Calorimetry Measurements
M. G. Wyzgoski 1455

Digital Comparison of X-Ray Diffraction Data from Cotton Textiles
A. D. French, D. Mitcham, and S. P. Rowland 1469

Grafting Vinyl Monomers onto Silk Fibers. VIII. Graft Copolymerization on Methyl Methacrylate onto Silk using Tetravalent Manganese–Oxalic Acid Redox System
G. Panda, N. C. Pati, and P. L. Nayak 1479

NOTES

Thermal Properties of Some Bromine-Containing Aromatic Fire Retardants
T. E. Davidson and C. W. Roberts 1491

Trans-Gauche Rotational Isomers in Partially Oriented Poly(ethylene Terephthalate) Fibers
A. Garton, D. J. Carlsson, L. L. Holmes and D. M. Wiles 1505

The Die Swell through Converging Slits
S. Suto and T. Fujimura 1509

Effect of Crosslinking on Carbon Black/Polyethylene Switching Materials
M. Narkis, A. Ram, and Z. Stein 1515

ERRATUM

Crosslink Density and Solvent Swelling of Filled and Unfilled Stocks
D. M. French 1519

Information for Contributors 1521

ISSUE NO. 8, AUGUST 1980

Chlorinated Poly(vinylidene Fluoride)
R. Bacskai 1523

Selective Aminolysis of Mixed Esters of Cellulose
P. Månsson and L. Westfelt 1533

Improvement of Flame-Retardant Properties of Insulated Wires by Radiation Crosslinking
M. Hagiwara, M. Sohara, K. Araki, and T. Kagiya 1541

Polyester–Polycarbonate Blends. VII. Ring-Containing Polyesters
C. A. Cruz, J. W. Barlow, and D. R. Paul 1549

Investigation of Phase Behavior and Water Binding in Poly(alkylene Oxide) Solutions
S. L. Hager and T. B. MacRury 1559

Melt Spinning of High-Impact Polystyrene: Rubber Morphology Variations, Orientation Development, and Mechanical Properties
M. A. A. Omotoso, J. L. White, and J. F. Fellers 1573

Interaction of Lead and Chromium with Chitin and Chitosan
C. A. Eiden, C. A. Jewell, and J. P. Wightman 1587

Shrinkage and Mechanical Properties of Poly(ethylene Terephthalate) Filaments Treated with Various Organic Solvents
G. M. Venkatesh, A. H. Khan, P. J. Bose, and G. L. Madan 1601

Surface Characterization of Plasma-Treated Poly-*p*-Xylylene Films
T. E. Nowlin and D. F. Smith, Jr., ... 1619

Radiation-Induced Polymerization of Ethylene in Pilot Plant. V. Molecular Weight Distribution of Polyethylene
K. Yamaguchi, H. Watanabe, T. Sugo, T. Watanabe, M. Takehisa, and S. Machi 1633

Polyparaxylylene Electrets Usable at High Temperatures
C. R. Raschke and T. E. Nowlin 1639

Formation of Polyelectrolyte Complex and Its Adsorption Properties
Y. Kurokawa, N. Shirakawa, M. Terada, and N. Yui 1645

Microbial and Oxidative Effects in Degradation of Polyethene
A.-C. Albertsson and Z. G. Bánhidi 1655

Structure and Properties of Acrylonitrile-[(2-Methacryloyloxy) alkoxy]trimethyl Silane Copolymers
P. Bajaj, D. C. Gupta, and A. K. Gupta 1673

Liquid Crystal Polymers. III. Preparation and Properties of Poly(ester Amides) from *p*-Aminobenzoic Acid and Poly(ethylene Terephthalate)
W. J. Jackson, Jr., and H. F. Kuhfuss 1685

Apparent Viscosity of a Fluid–Gas Mixture
D. H. Lewis, Jr., and P. R. Ryason 1695

Tensile Properties and Morphology of Blends of Polyethylene and Polypropylene
A. J. Lovinger and M. L. Williams 1703

Morphology and Properties of α-Methylstyrene and Butadiene Diblock Copolymers
G-H. Hsiue and C-H. Yang 1715

Effect of Sorbed Water on Dielectric and Mechanical Properties of Polyion Complex
O. Yano and Y. Wada 1723

Effect of Nonionic Surfactant and Heat on Selected Properties of Polyester
H. L. Needles, R. S. Berns, W-C. Lu, K. Alger, and D. S. Varma 1737

Effect of Nonionic Surfactant and Heat on Selected Properties of Nylon 6,6
H. L. Needles, W-C. Lu, K. Alger, and D. S. Varma 1745

Selective Permeation of Hydrocarbon Gases in Poly(tetrafluoroethylene) and Poly(fluoroethylene–Propylene) Copolymer
N. Yi-Yan, R. M. Felder, and W. J. Koros 1755

Measurement of Number-Average Molecular Weights and Second Viral Coefficients of Polyolefins using an Improved Vapor Pressure Osmometer
F. M. Mirabella, Jr., ... 1775

NOTES

An Alternative Interpretation of Flocculation of Dispersions by Preferential Adsorption of Solvents from Polymer Solution
T. Sato and C. L. Sieglaff 1781

Influence of Crosslinking on the Glass Transition of Poly(acrylic Acid)
A. R. Greenberg and R. P. Kusy 1785

The Kinetics of Hydrolytic Polymerization of ϵ-Caprolactam. IV. Theoretical Aspect of the Molecular Weight Distribution
K. Tai, Y. Arai, H. Teranishi, and T. Tagawa 1789

Effect of Solvent Size on Diffusion in Polymer–Solvent Systems
J. S. Vrentas, H. T. Liu, and J. L. Duda 1793

Synthesis of Casein-*g*-Poly(butyl Acrylate)
D. Mohan, G. Radhakrishnan, and T. Nagabhushanam 1799

Optical Relation of Plastically Deforming Polymer Solid
T. Nishitani and T. Ohnishi 1807

ERRATUM

Physical Properties and Structure of Silk. III. The Glass Transition and Conformational Changes of Tussah Silk Fibroin
J. Magoshi, Y. Magoshi, and S. Nakamura 1813

ISSUE NO. 9, SEPTEMBER 1980

Comparison of Laboratory Techniques for Evaluating the Fracture Toughness of Glassy Polymers
R. Y. Ting and R. I. Cottington 1815

Quantitative Analysis of Polymer Blends using Breadths of Overlapping X-Ray Diffraction Lines
P. K. Chidambareswaran, S. Sreenivasan, N. B. Patil, and V. Sundaram 1825

Graft Copolymerization of Styrene onto Cellulose Acetate *p*-Nitrobenzoate by Chain Transfer Reaction
S. Nakamura, E. Yoshikawa, and K. Matsuzaki 1833

Dielectric Loss Microwave Degradation of Polymers: Cellulose
G. G. Allan, B. B. Krieger, and D. W. Work 1839

Effect of Temperature on Creep Fracture of Polypropylene Fibers
A. Takaku 1861

Bitumen–Silica Model Composites: The Role of the Filler
G. Fritschy and E. Papirer 1867

Rheological and Mechanical Properties of Polyurethane Modified by BHET
C-C. Lin and B-Z. Yang 1875

Physicochemical Processes Occurring during the Formation of Cellulose Diacetate Membranes. Research of Criteria for Optimizing Membrane Performance. V. Cellulose Diacetate–Acetone–Water–Inorganic Salt Casting Solutions
C. Lemoyne, C. Friedrich, J. L. Halary, C. Noël, and L. Monnerie 1883

Crosslinking of Partially Neutralized Carboxyl-Terminated Liquid Rubbers with Bisepoxide and Anhydride
H. Matsuda 1915

Formation of High-Performance Fiber Morphologies
A. S. Abhiraman 1931

Analytical Study of the Additives System in Polyethylene
J. Lehotay, J. Daněček, O. Liška, J. Leško, and E. Brandšteterová 1943

Biodegradable Polymers: Photolysis and Fungal Degradation of Poly(arylene Keto Esters)
S. J. Huang and C. A. Byrne 1951

Surface Characteristics of Solvent-Cast Polymers
H. P. Schreiber and M. D. Croucher 1961

Novel Polymer Alloy Membranes Composed of Poly(4-Vinyl Pyridine) and Cellulose Acetate. I. Asymmetric Membranes
P. Aptel and I. Cabasso 1969

Graft Polymerization of Methyl Methacrylate onto Wool Initiated by Ferric Acetylacetonate/Dichloroacetic Acid System
M. Yoshikuni, K. Saito, and K. Kojima 1991

Influence of Processing Conditions on Some Properties of Anionically Synthesized Polycaprolactam in Presence of Lithium Chloride
D. Acierno, F. P. La Mantia, G. Polizzotti, S. Russo, and G. Titomanlio 2001

Investigation on the Synthesis and Characterization of Rare Earth Metal-Containing Polymers. II. Fluorescence Properties of Eu^{3+}–Polymer Complexes Containing β-Diketone Ligand
Y. Ueba, E. Banks, and Y. Okamoto 2007

Platisols of Poly (vinyl Chloride); Particle Size Distribution, Morphology, Rheology, and Mechanism of Aging
N. Nakajima and C. A. Daniels 2019

New Crystalline Complex Chlorides Containing Transition Metal Chlorides or Oxychlorides as Components of Coordination Catalysts
A. Greco, G. Bertolini, and S. Cesca 2045

Interpretive Nonlinear Viscoelasticity: Dynamic Properties of Nylon 6, Nylon 66, and Nylon 12 Fibers
D. C. Prevorsek, Y. D. Kwon, and R. K. Sharma 2063

Fibrillar Size in Native Cellulose
E. K. Boylston and J. J. Hebert 2105

NOTES

Effects of Annealing on the Sorption of Propane in Polycarbonate
J. A. Yavorsky and H. G. Spencer 2109

Adhesives from Creosote Bush (*Larrea tridentata*) Phenolic Resin with Formaldehyde. Characteristics and Application
H. Belmares, A. Barrera, M. Ortega, and M. Monjaras 2115

The Stress Relaxation of the Thermoplastic Elastomer (SBS Type)
G-H. Hsiue and G-W. Wu 2119

Exterior Wood Adhesives by MDI Crosslinking of Polyflavonoid Tannin B Rings
A. Pizzi 2123

Enzyme Dissolution Technique for Studying the Fine Structure of Jute Fiber at Different Stages of Growth
A. K. Mukhopadhyay, A. C. Mukherjee, and U. Mukhopadhyay 2129

Environmental and Thermal Oxidation of Poly(vinyl Chloride) and Impact-Modified Poly(vinyl Chloride). I
E. G. Kolawole, G. E. Mbamali, and J. Y. Olayemi 2133

Ultrastructure of the Surface of a Polysulfone Ultrafiltration Membrane
U. Merin and M. Cheryan 2139

ERRATUM

Stabilization of Poly(vinyl Chloride). V. Synergism between Metal Soaps and Polyols upon Stabilization of Poly(vinyl Chloride)
T. Iida and K. Gotō 2143

Issue No. 10, October 1980

Effects of Absorbed Water on Physical Properties of Polyesters
E. Ito and Y. Kobayashi 2145

Dyeing of Cellulose by Direct Dye in Aqueous Sodium Alginate Solution
M. Nango, M. Maekawa, A. Katayama, and N. Kuroki 2159

Hydraulic Permeability of Open-Cell Hydrophilic Polyurethane Foams
M. V. Sefton and H. M. Lusher 2167

Temperature Dependence and Energetics of the Equilibrium Sorption of Water Vapor in Glassy Polyacrylonitrile
G. Ranade, V. Stannett, and W. J. Koros 2179

Simulated Autohydrolysis of Aspen Milled Wood Lignin in the Presence of Aromatic Additives: Structural Modifications
M. Wayman and J. H. Lora 2187

Flame Retardancy of Polypropylene and Impact Polystyrene: Phosphonium Bromide/Ammonium Polyphosphate System
A. Granzow and C. Savides 2195

Stereoregularity of PVC Studied by ^{13}C NMR
N-I. Liu, S. N. Tong, and J. L. Koenig 2205

Study on the Graft Copolymerization of Lignosulfonate and Acrylic Monomers
R. Chen, B. V. Kokta, and J. L. Valade 2211

Effect of Copolyether-Ester Additives on the Melt Rheology of Polyoxymethylene
D. M. Gale 2221

Penetration-Sorption of Cotton Fibers Measured by Immersed Weight
S. P. Rowland, D. J. Stanonis, and W. D. King 2229

Dyeing of Cotton Fibers Decrystallized by Alkali Swelling and Partial Substitution
P. B. Iyer, K. R. K. Iyer, N. B. Patil, and I. G. Bhatt 2235

Structural Transformations during Chloromethylation of Flexible Polystyrene Networks
S. Belfer, R. Glozman, A. Deshe, and A. Warshawsky 2241

Investigation of the Dependence of the Infrared Absorptivity of a Functional Moiety on the Molecular Weight of a Homopolymer
F. M. Mirabella, Jr. 2265

Structure and Properties of Microporous Membranes Prepared by Applying Phase Separation during Polymerization
Y. Mizutani and M. Nishimura 2273

Polymerization of Alkyl Acrylates and Alkyl Methacrylates with Starch
G. F. Fanta, R. C. Burr, and W. M. Doane 2285

Flame-Resistant Cotton Textiles by a Continuous Photocuring Process
J. A. Harris, E. J. Keating, and W. R. Goynes, Jr. 2295

Critical Appraisal of the Volume–Entropy–Energy Equation for Liquids
A. K. Doolittle 2305

Kinetics and Conversion Monitoring in a RIM Thermoplastic Polyurethane System
E. C. Steinle, F. E. Critchfield, J. M. Castro, and C. W. Macosko 2317

Catalytic Effect of Hydrogen Chloride on the Degradation of Poly(vinyl Chloride)
E. D. Owen, I. Pasha, and F. Moayyedi 2331

Crosslinking of Partially Neutralized Liquid Rubbers Containing Terminal and Pendent Carboxyl Groups with Anhydride and Bisepoxide
H. Matsuda 2339

Effect of Relative Humidity on the Mechanical Properties of Poly(1,4-Butylene Terephthalate)
R. J. Gardner and J. R. Martin 2353

Gel Permeation Chromatography using Controlled-Porosity Glass. II. Polyacrylamide Aqueous Solutions
N. Onda, K. Furusawa, N. Yamaguchi, M. Tokiwa, and Y. Hirai 2363

Polymerization of Butadiene in Toluene with Nickel (II) Stearate–Diethyl Aluminum Chloride Catalyst. I. Catalytic Behaviors
D-H. Lee and C. C. Hsu 2373

Thioetherglycidyl Resins. I. Products of Condensation of 1-Mercaptomethylnaphthalene and 1,4-, 1,5-Di-(Mercaptomethyl) naphthalene and Their Mixtures with Epichlorohydrin
W. Charmas and W. Podkościelny 2393

Preparation and Surface Modification of Poly(vinylbenzyl Chloride) Latices
Y. Chonde, L-J. Liu, and I. M. Krieger 2407

Photochemical Reactions of Polyene Sequences Produced during the Degradation of Poly(vinyl Chloride)
E. D. Owen and I. Pasha 2417

NOTES

Methods for the Simultaneous Measurement of Continuous and Intermittent Stress Relaxation of Rubber Vulcanizates
S. Ore 2421

A Simple Procedure for Estimating the Diffusion Coefficient from Sorptive Experiments in the Infinite Bath
J. Militký and J. Rais 2429

Grafting Acrylic Acid onto Starch and Poly(vinyl Alcohol) by Photolysis
D. Trimnell and E. I. Stout 2431

Wettability Studies of Plasma-Polymerized Hexamethyldisilazane
N. K. Eib, K. L. Mittal, A. Friedrichs 2435

Energetics of Some Bromine-Containing Aromatic Fire Retardants from Luminescence Properties
T. E. Davidson and C. W. Roberts 2439

Rapid Method for Preparing Polymeric Piezoelectric Films
L. M. Adams and H. S. Silvus, Jr. 2445

Information for Contributors 2449

ISSUE NO. 11, NOVEMBER 1980

Polypropylene/ABS Terpolymer Blends. Mixing and Mechanical Properties
C. Markin and H. L. Williams 2451

Effect of Molecular Weight Distribution of Poly(oxytetramethylene)glycol on Cut Growth Resistance of Polyurethane
Y. Kaneko, Y. Watabe, T. Okamoto, Y. Iseda, and T. Matsunaga 2467

Effects of Chromate Treatments on Environmental Stability of Lead/Tin Alloy Joints Bonded with an Ethylene–Acrylic Acid Copolymer. I. Characterization of Chromated Surfaces and Fractured Joint Surfaces
F. Yamamoto and S. Yamakawa 2479

Effect of Composition on the Mechanical Properties of Blends of the Copolymer ABS with Polyamides 6 and 12
Y. V. Lebedev, M. Ilavský, K. Dušek, Y. S. Lipatov, and Z. Pelzbauer 2493

Hexamethyl Cyclotrisiloxane–Styrene Block Copolymers and their Chemical Composition
S. K. Varshney and D. N. Khanna 2501

Characteriaztion of a Nylon 6/Poly(methyl Acrylate) Copolymer Produced by Radiation Grafting
M. G. Huglin and R. W. Richards 2513

Spirality of the Crystallites of the Natural Cotton Fibers
A. R. Kalyanaraman 2523

Influence of NCO:OH Relation and Chain Extender on Primary and Secondary Valence Crosslinks in Urethane Elastomers
M. Rutkowska and A. Balas 2531

Aspects of the Kinetics of the Radiation-Induced Polymerization of Acrylonitrile in Dimethylformamide
N. S. Batty and J. T. Guthrie 2539

Wood Waterproofing and Lignin Crosslinking by Means of Chromium Trioxide/Guajacyl Units Complexes
A. Pizzi 2547

An Analytical Method to Determine Time–Conversion Relationship for a Multicomponent Monomer Mixture in a Suspension Polymerization System
C. M. Yang and H. C. Hamann 2555

Particulate Precipitation Polymerization: A Convenient Procedure for the Synthesis of Crosslinked Polymers Useful as Polymeric Supports
C. H. Bamford, A. Ledwith, and P. K. S. Gupta 2559

Rapid Acetylation of Native Cellulose by TFAA and Characterization of the Products
M. Tsuzuki, N. Shiraishi, and T. Yokota 2567

Solid-State Hydrolysis of Bisphenol-A Polycarbonate. I. Effect of Phenolic End Groups
C. A. Pryde and M. Y. Hellman 2573

X-Ray Diffraction Studies of ABA Propylene–Ethylene Block Copolymers
P. Prabhu, R. E. Fornes, and R. D. Gilbert 2589

Urea–Formaldehyde Reaction System. An Experimental Investigation
A. F. Price, A. R. Cooper, and A. S. Meskin 2597

Stabilization of UV-Curable Vinyl Compositions by Transition Metal Compounds
M. J. Malin 2613

Polymer–Leather Composites. I. Process and Location Study for the Deposition of Selected Acrylate Monomers by Polymerization into Chrome-Tanned Cattlehide
E. F. Jordan, Jr., B. Artymyshyn, A. L. Everett, M. V. Hannigan, and S. H. Feairheller 2621

NOTES

Temperature Dependence of Tensile Properties of Composites Consisting of Carbon Fiber Tow in Thermosetting Polymers
K. Mizutani and T. Iwatsu 2649

Separation of the Diffusion and Crystallization Fronts on Swelling a Bisphenol-A Polycarbonate
W. Benecki and E. Turska 2653

Addendum 2657

ISSUE NO. 12, DECEMBER 1980

Flammability and Thermal Properties of Rigid Polyurethane Foams with Additionally Introduced Cyclic Structures
L. Żabski, W. Walczyk, and D. Weleda 2659

Mechanical Properties of Twisted Filaments
W. Żurek, J. Miśkiewicz, and E. Basista 2681

Moisture-Cured Polyurethane Based on Polyester and Polycarbonate Polyols
R. N. Mukherjea and K. K. Saha 2699

Flame-Retardant Modification of Ethylene–Propylene Copolymer with Monomers Containing Bromine and/or Phosphorus
Y. Morita, M. Hagiwara, and K. Araki 2711

Homogeneous Graft Copolymerization of Styrene onto Cellulose in a Sulfur Dioxide–Diethylamine–Dimethyl Sulfoxide Cellulose Solvent
M. Tsuzuki, I. Hagiwara, N. Shiraishi, and T. Yokota 2721

Effects of Chromate Treatments on Environmental Stability of Lead/Tin Alloy Joints Bonded with an Ethylene–Acrylic Acid Copolymer. II. Failure Mechanism in Distilled Water
F. Yamamoto, S. Yamakawa, and M. Wagatsuma 2731

New Catalysts for Urea Formation Reaction. I. Effect of Catalyst on Molecular Weight of Polyurethane and Determination of the Minimum Demolding Time
Y. Watabe, M. Ishii, and Y. Iseda 2739

New Catalysts for Urea Formation Reactions. II. Catalytic Activity of Carboxylic Acids
Y. Watabe, M. Ishii, and Y. Iseda 2747

Polymer–Leather Composites. II. Kinetics of the Deposition of Selected Acrylate Monomers by Polymerization into Chrome-Tanned Cattlehide
E. F. Jordan, Jr., and S. H. Feairheller 2755

Orientation Development in Tubular Film Extrusion of Polystyrene
K. J. Choi, J. L. White, and J. E. Spruiell 2777

Dynamic Stress Intensity Factors during Viscoelastic Crack Propagation at Various Strain Rates
A. Kobayashi, N. Ohtani, and M. Munemura 2789

Viscoelastic Behavior of Highly Crosslinked Poly(acrylic Acid)
A. R. Greenberg and R. P. Kusy 2795

Transient Sorption by Symmetrical Multilaminate Slabs in Well-Stirred Semiinfinite and Finite Baths
H. G. Spencer and J. A. Barrie 2807

Rheology of Guar Solutions
P. J. Whitcomb, J. Gutowski and W. W. Howland 2815

Effect of pH and Neutral Salts Upon the Swelling of Cellulose Gels
J. Grignon and A. M. Scallan 2829

Diffusion of Dyes in Polyester Fibers. II. Diffusion Coefficients from the Radical Distribution Curves
B. Ostrowska and A. Narebska 2845

Physical Characterization of Layered Perovskites–Polystyrene Composites
V. Busico, P. Corradini, C. Migliaresi, and L. Nicolais 2857

Comparative Study of Various Methods for Thermogravimetric Analysis of Polystyrene Degradation
H. Nishizaki, K. Yoshida, and J. H. Wang 2869

Structural Investigation of Polyurethanes: Infrared Spectroscopic Investigations of Monomeric and Polymeric *N,N'*-Diaryl Ureas
J. Hocker 2879

Rigid Backbone Polymers. XVI. Random Copolyamides
S. M. Aharoni 2891

Characterization of Products Prepared by Homogeneous Grafting of Styrene onto Cellulose in a Sulfur Dioxide–Diethylamine–Dimethyl Sulfoxide Medium
M. Tsuzuki, I. Hagiwara, N. Shiraishi, and T. Yokota 2909

Microstructure of Cation Exchange Membranes Prepared by the Paste Method
Y. Mizutani and M. Nishimura 2925

Preparation of Copoly(vinyl Alcohol–Styrenesulfonic Acid) Resin and Its Catalytic Activity on Hydrolysis of Carbohydrates. II. Two-Step Polymerization using Tetraethylthiuram Disulfide as an Initiator
K. Arai, Y. Ogiwara, and C. Kuwabara 2935

The Role of Flame-Retardant Chemicals in the Thermal Degradation of Poly(ethylene Terephthalate). Studies with the Model Ester *n*-Propyl Pyrene-1-Carboxylate
M. Day, K. Ho, and D. M. Wiles 2943

Comparative Study of the Properties of Differently Decrystallized and Crosslinked Cotton Fibers
P. B. Iyer, K. R. K. Iyer, and N. B. Patil 2951

Rheological Properties of Iron Oxide Particle Suspensions
W. Nagashiro and T. Tsunoda 2961

Thermal Degradation of Polyurethanes. Model Compounds
A. Orzeszko and A. Kolbrecki 2969

A Two-Parameter Model for Estimating Hydrogen Bond Enthalpies of Reaction
P. E. Rider 2975

Evaluation of GPC Methods for Estimation of Mark–Houwink–Sakurada Constants
C. J. B. Dobbin, A. Rudin, and M. F. Tchir 2985

NOTES

Measurements of Propagation Rate Constant from Emulsion Polymerization
S. K. Soh 2993

Author Index 2999

Subject Index 3009

Information for Contributors 3023

Volume Title Page i

Volume Contents iii